

Safety Data Sheet  
According to Regulation (EC) 1907/2006



5459 **Karl Fischer Water Standard 1,00 mg/g**

**1. Identification of the substance/preparation and of the company or firm**

**1.1 Identification of the substance or preparation**

Name:

Karl Fischer Water Standard 1,00 mg/g

**Synonym:**

**REACH Registration Number:** A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) N° 1907/2006, the annual tonnage does not require a registration, the registration is envisaged for a later registration deadline or it is a mixture.

**1.2 Use of the substance/preparation:**

For laboratory utilisation, analysis, research and fine chemistry.

**1.3 Identification of the company or firm:**

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès

(Barcelona) Spain

Tel. (+34) 937 489 400

e-mail: [product.safety@panreac.com](mailto:product.safety@panreac.com)

**1.4 Emergency telephone:**

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

**2. Identification of dangers**

Classification of the substance or the mixture.

**Classification Regulation (CE) n° 1272/2008.**

Flam. Liq. 3

Eye Irrit. 2

STOT SE 3

Skin Irrit. 2

**Hazard Pictograms**



**Signal word**

Warning

**Hazard statements**

H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H315 Causes skin irritation.

**Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/.../ equipment.  
P242 Use only non-sparking tools.  
P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

**Classification (67/548/CEE or 1999/45/CE).**

Xi Irritant

R36/37/38  
R10

For the full text of the R-phrases mentioned in this section, see section 16.

**3. Component Composition/Information**

Name: Karl Fischer Water Standard 1,00 mg/g

**Composition:****0001: Propylene Carbonate**

Formula: C<sub>4</sub>H<sub>6</sub>O<sub>3</sub> M.= 102,09 CAS [108-32-7]  
EC number (EINECS): 203-572-1  
EC index number: 607-194-00-1

**Content:** <= 5 %**Classification Regulation (CE) n° 1272/2008.**

Eye Irrit. 2

**Hazard Pictograms****Signal word**

Warning

**Hazard statements**

H319 Causes serious eye irritation.

**Precautionary statements**

P264 Wash...thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

**Classification (67/548/CEE or 1999/45/CE).**

**Xi** Irritant

**R36** Irritating to eyes.

**0002: Anisole**

Formula: C<sub>7</sub>H<sub>8</sub>O M.= 108,14 CAS [100-66-3]

EC number (EINECS): 202-876-1

**Content:** >= 90 %

**Classification Regulation (CE) n° 1272/2008.**

Flam. Liq. 3

Eye Irrit. 2

STOT SE 3

Skin Irrit. 2

**Hazard Pictograms****Signal word**

Warning

**Hazard statements**

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H315 Causes skin irritation.

### **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/.../ equipment.  
P242 Use only non-sparking tools.  
P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.  
P243 Take precautionary measures against static discharge.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash...thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTER or doctor/physician if you feel unwell.  
P321 Specific treatment (see on this label).  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P362 Take off contaminated clothing and wash before reuse.  
P370+P378 In case of fire: Use for extinction.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

### **Classification (67/548/CEE or 1999/45/CE).**

**Xi** Irritant

**R36/37/38** Irritating to eyes, respiratory system and skin.

**R10** Flammable.

## **4. First aid**

### **4.1 General indications:**

Never provide drink or induce vomiting in the event of loss of consciousness.

### **4.2 Inhaling:**

Take the person out into the fresh air.

### **4.3 Contact with the skin:**

Wash with plenty of water. Remove contaminated clothing.

### **4.4 Eyes:**

Wash with plenty of water (for at least 15 minutes), keeping eyelids open. Seek medical assistance.

### **4.5 Swallowing:**

Drink large amounts of water. Seek medical assistance.

## **5. Fire-fighting means**

**5.1 Suitable fire-extinguishing means:**

Carbon dioxide (CO<sub>2</sub>). Foam. Dry powder.

**5.2 Fire-fighting means which must NOT be used:**

No specific data.

**5.3 Special risks:**

Combustible. Keep away from sources of ignition. May form explosive mixtures with the air. In the event of fire, toxic fumes may form.

**5.4 Protective equipment:**

Suitable clothing and footwear.

**6. Measures to be taken in the event of accidental spillage****6.1 Individual precautions:**

No special indications.

**6.2 Precautions for care of the environment:**

Do not allow it to enter the drainage system. Avoid pollution of the soil, water supplies and drains.

**6.3 Methods for collection/cleaning:**

Collect up with absorbent materials (Panreac General Absorbent, Kieselguhr, etc.) or, if none available, dry sand or earth, and deposit in waste containers for subsequent elimination in accordance with current legislation. Clean any remains with plenty of water.

**7. Handling and storage****7.1 Handling:**

No special indications.

**7.2 Storage:**

Well sealed containers. In well ventilated premises.

**8. Staff exposure/protection controls****8.1 Technical protective measures:**

Ensure good ventilation and renewal of the air in the premises.

**8.2 Exposure limit control:**

: Data not available.

**8.3 Respiratory protection:**

In the event of fumes forming/aerosols, use suitable respiratory protection.

**8.4 Hand protection:**

Use suitable gloves

**8.5 Eye protection:**

Use suitable goggles.

### **8.6 Individual hygiene measures:**

Remove contaminated clothing. Use suitable work clothing. Wash hands and face before breaks and when the job is done.

### **8.7 Environmental exposure controls:**

Fulfill the commitments under local environmental protection legislation.

## **9. Physical and chemical properties**

Appearance: N/A

Colour:

N/A

Granulometry: N/A

Odour: N/A

pH:

N/A

Melting point/freezing point: N/A

Initial boiling point and boiling range:

N/A

Flash point:

N/A

Flammability (solid, gas):

N/A

Upper/lower flammability or explosive limits:

N/A

Vapour pressure: N/A

Vapour density: N/A

Relative density:

N/A

Solubility: in Very slightly soluble in water.

Partition coefficient: n-octanol/water:

N/A

Auto-ignition temperature:

N/A

Decomposition temperature: N/A

Viscosity: N/A

## **10. Stability and reactivity**

### **10.1 Conditions which should be avoided:**

The product is chemically stable under standard ambient conditions (room temperature).

### **10.2 Matter which should be avoided:**

Alkaline metals. Alkali-earth metals.

### **10.3 Hazardous decomposition products:**

No specific data.

### **10.4 Complementary information:**

No specific data.

## **11. Toxicological information**

### **11.1 Acute toxicity:**

: Data not available.

### **11.2 Dangerous effects for health:**

If fumes inhaled: Irritations to the mucosae coughing breathing difficulties Upon contact with the skin: irritations Risk of cutaneous absorption. Through contact with the eyes: Irritations to the mucosae If it is absorbed in large quantities: tiredness anxiety spasms narcosis vertigo Other dangerous characteristics are not discarded. Take the usual precautions for handling chemical products.

## **12. Environmental information**

### **12.1 Toxicity:**

12.1.1 - EC50 test (mg/l):

12.1.2. - Receptor medium:

Risk for the water environment

Risk for the land environment

12.1.3. - Observations:

Ecotoxic data not available.

### **12.2 Persistence and Degradability :**

12.2.1 - Test:

12.2.2. - Biotic degradation classification:

BOD5/COD

Biodegradability

12.2.3. - Abiotic degradation depending on pH:

12.2.4. - Observations:

Data not available.

### **12.3 Bioaccumulative potential:**

12.3.1. - Test:

12.3.2. - Bioaccumulation:

Risk

12.3.3. - Observations:

Data not available.

### **12.4 Mobility in soil :**

Data not available.

### **12.5 Assessment PBT and MPMB :**

Data not available.

### **12.6 Other possible effects on the environment:**

Environmental risks cannot be excluded if used and/or disposed of inappropriately. Do not allow it to enter soils or water channels.

## **13. Considerations regarding elimination**

### **13.1 Substance or preparation:**

In the European Union, there are no homogeneous standards established for elimination of chemical waste, which is waste of a special nature, and treatment and elimination of same is subject to the domestic legislation in each country.

In view of this, in each case, you should contact the competent authority or those companies legally authorized for elimination of waste.

2001/573/EC: Council Decision of 23 July 2001 amending Commission Decision 2000/532/EC as regards the list of wastes. Council Directive 91/156/EEC of 18 March 1991 amending Directive 75/442/EEC on waste.

### 13.2 Contaminated containers:

Contaminated containers and packaging of dangerous substances or preparations must be treated in the same manner as the actual products contained in them. European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste.

## 14. Information concerning transport

Not classified as dangerous in the meaning of transport regulations.

## 15. Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## 16. Other information

### Other precautionary statements

- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash...thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.
- P321 Specific treatment (see on this label).
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362 Take off contaminated clothing and wash before reuse.
- P370+P378 In case of fire: Use for extinction.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.

### Labelling (65/548/CEE or 1999/45/CE)

- |               |  |
|---------------|--|
| R-phrases(s): | <b>R36/37/38</b> Irritating to eyes, respiratory system and skin.<br><b>R10</b> Flammable.   |
| S-phrases(s): | <b>S37/39</b> Wear suitable gloves and eye/face protection.<br><b>S26</b> In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.<br><b>S16</b> Keep away from sources of ignition - No smoking. |

The information included in this Safety Data Sheet is based on our most up-to-date knowledge, and is solely intended to inform regarding aspects of safety; the properties and characteristics indicated herein are not guaranteed.

In respect of the previous review, changes have been made to the following sections: 2, 3, 15

Date published: 3.11.10

Review number and date: 3 3.11.10