

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Page 1/8

Printing date 14.06.2017  
Revision: 14.06.2017  
Version number 3

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

• **1.1 Product identifier**

• **Trade name:** 1,2,4-trichlorobenzene

• **Article number:** 363541

• **CAS Number:**

120-82-1

• **EC number:**

204-428-0

• **Index number:**

602-087-00-6

• **Registration number**

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration, the registration is envisaged for a later registration deadline or it is a mixture.

• **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

• **Application of the substance / the mixture**

Chemical analytics

Pharmaceutical analysis

Laboratory chemical

• **1.3 Details of the supplier of the safety data sheet**

• **Manufacturer/Supplier:**

AppliChem GmbH

Ottoweg 4

D-64291 Darmstadt

Tel.: +49 (0)6151 93570

Fax.: +49 (0)6151 935711

msds@applichem.com

• **Further information obtainable from:** Dept. Compliance

• **1.4 Emergency telephone number:** +49(0)6151 93570 (Inside normal business hours)

## SECTION 2: Hazards identification

• **2.1 Classification of the substance or mixture**

• **Classification according to Regulation (EC) No 1272/2008**

Acute Tox. 4      H302 Harmful if swallowed.

Skin Irrit. 2      H315 Causes skin irritation.

Aquatic Acute 1      H400 Very toxic to aquatic life.

Aquatic Chronic 1      H410 Very toxic to aquatic life with long lasting effects.

• **2.2 Label elements**

• **Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the CLP regulation.

• **Hazard pictograms**



GHS07   GHS09

• **Signal word** Warning

(Contd. on page 2)

GB

**Trade name: 1,2,4-trichlorobenzene**

(Contd. of page 1)

- **Hazard statements**  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H410 Very toxic to aquatic life with long lasting effects.
- **Precautionary statements**  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
P302+P352 IF ON SKIN: Wash with plenty of water.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**

• **PBT:**

120-82-1	1,2,4-trichlorobenzene
----------	------------------------

- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.1 Chemical characterisation: Substances**
- **CAS No. Description**  
120-82-1 1,2,4-trichlorobenzene
- **Identification number(s)**
- **EC number:** 204-428-0
- **Index number:** 602-087-00-6

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.  
Involve doctor immediately.
- **After inhalation:**  
Supply fresh air or oxygen; call for doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Call a doctor immediately.  
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Call for a doctor immediately.  
In case of unconsciousness place patient stably in side position for transportation.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Use fire extinguishing methods suitable to surrounding conditions.  
In adaption to materials stored in the immediate neighbourhood.
- **5.2 Special hazards arising from the substance or mixture**  
Hydrogen chloride (HCl)  
Phosgene gas  
carbon oxides (CO, CO<sub>2</sub>).

(Contd. on page 3)

Trade name: 1,2,4-trichlorobenzene

(Contd. of page 2)

Non-combustible.

• **5.3 Advice for firefighters**

• **Protective equipment:** Wear self-contained respiratory protective device.

• **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Contain escaping vapours with water.

## SECTION 6: Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures**

Avoid substance contact.

Ensure adequate ventilation

• **6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Clean up affected area.

• **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

• **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

• **Information about fire - and explosion protection:** The product is not flammable.

• **7.2 Conditions for safe storage, including any incompatibilities**

• **Storage:**

• **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

• **Information about storage in one common storage facility:** Not required.

• **Further information about storage conditions:**

Open receptacle only under localised extractor facilities.

Store under lock and key and with access restricted to technical experts or their assistants only.

Keep container sealed.

• **Recommended storage temperature:** +15 - +25 °C

• **Storage class:** 10 - 13

• **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

• **Additional information about design of technical facilities:** No further data; see item 7.

• **8.1 Control parameters**

• **Ingredients with limit values that require monitoring at the workplace:**

**120-82-1 1,2,4-trichlorobenzene**

WEL Short-term value: 5 ppm

Long-term value: 1 ppm

Sk

• **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

Trade name: 1,2,4-trichlorobenzene

(Contd. of page 3)

- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Filter ABEK
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact gloves made of the following materials are suitable:**  
Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.11$  mm  
Value for the permeation: Level  $\geq 480$  min
- **As protection from splashes gloves made of the following materials are suitable:**  
Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.11$  mm  
Value for the permeation: Level  $\geq 480$  min
- **Eye protection:** Safety glasses
- **Body protection:**  
Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

## SECTION 9: Physical and chemical properties

### • 9.1 Information on basic physical and chemical properties

#### • General Information

##### • Appearance:

Form:	Liquid
Colour:	Colourless
• Odour:	Characteristic
• Odour threshold:	Not determined.

• pH-value: Not determined.

##### • Change in condition

Melting point/freezing point:	17-18 °C
Initial boiling point and boiling range:	212-213 °C

• Flash point: 110 °C

• Flammability (solid, gas): Not applicable.

(Contd. on page 5)

Trade name: 1,2,4-trichlorobenzene

(Contd. of page 4)

- |  |                 |
|--|-----------------|
| · <b>Ignition temperature:</b>   |                 |
| <b>Decomposition temperature:</b>  | Not determined. |
| · <b>Auto-ignition temperature:</b> Not determined.                          |                 |
| · <b>Explosive properties:</b> Product does not present an explosion hazard. |                 |
| · <b>Explosion limits:</b>   |                 |
| <b>Lower:</b>  | Not determined. |
| <b>Upper:</b>  | Not determined. |
| · <b>Vapour pressure at 20 °C:</b> 0.27 hPa                                  |                 |
| · <b>Density at 20 °C:</b> 1.446 g/cm <sup>3</sup>                           |                 |
| · <b>Relative density</b> Not determined.                                    |                 |
| · <b>Vapour density</b> Not determined.                                      |                 |
| · <b>Evaporation rate</b> Not determined.                                    |                 |
| · <b>Partition coefficient: n-octanol/water:</b> Not determined.             |                 |
| · <b>Viscosity:</b>  |                 |
| <b>Dynamic:</b>  | Not determined. |
| <b>Kinematic:</b>  | Not determined. |
| · <b>9.2 Other information</b> No further relevant information available.    |                 |

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No dangerous reactions known.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No dangerous reactions known.
- **10.6 Hazardous decomposition products:** In the event of fire: See chapter 5

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
  - **Acute toxicity**  
Harmful if swallowed.
  - **LD/LC50 values relevant for classification:**
- | Components | Type | Value            | Species |
|------------|------|------------------|---------|
| Oral       | LD50 | 550 mg/kg (rat)  |         |
| Dermal     | LD50 | 6139 mg/kg (rat) |         |
- **Primary irritant effect:**
  - **Skin corrosion/irritation**  
Causes skin irritation.
  - **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
  - **After inhalation:** Irritant to skin and mucous membranes.
  - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
  - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
  - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
  - **Carcinogenicity** Based on available data, the classification criteria are not met.
  - **Reproductive toxicity** Based on available data, the classification criteria are not met.
  - **STOT-single exposure** Based on available data, the classification criteria are not met.
  - **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Trade name: 1,2,4-trichlorobenzene

(Contd. of page 5)

- **Aspiration hazard** Based on available data, the classification criteria are not met.



## SECTION 12: Ecological information

- **12.1 Toxicity**
  - **Aquatic toxicity:** No further relevant information available.
  - **12.2 Persistence and degradability** No further relevant information available.
  - **12.3 Bioaccumulative potential** No further relevant information available.
  - **12.4 Mobility in soil** No further relevant information available.
  - **Ecotoxicological effects:**
  - **Remark:** Very toxic for fish
  - **Additional ecological information:**
  - **General notes:**  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Also poisonous for fish and plankton in water bodies.  
Very toxic for aquatic organisms  
Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water  
Danger to drinking water if even extremely small quantities leak into the ground.
  - **12.5 Results of PBT and vPvB assessment**
- |                                   |
|-----------------------------------|
| • <b>PBT:</b>                     |
| 120-82-1   1,2,4-trichlorobenzene |
- **vPvB:** Not applicable.
  - **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Chemicals must be disposed of in compliance with the respective national regulations.  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:**  
Disposal must be made according to official regulations.  
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

## SECTION 14: Transport information

- |   |  |
|---|--|
| • <b>14.1 UN-Number</b>   | UN2321   |
| • <b>ADR, IMDG, IATA</b>  |  |
| • <b>14.2 UN proper shipping name</b>   | TRICHLOROBENZENES, LIQUID, ENVIRONMENTALLY HAZARDOUS |
| • <b>ADR</b>  | TRICHLOROBENZENES, LIQUID, MARINE POLLUTANT          |
| • <b>IMDG</b>   |  |
| • <b>IATA</b>   | TRICHLOROBENZENES, LIQUID                            |
| • <b>14.3 Transport hazard class(es)</b>  |  |
| • <b>ADR</b>  |  |
|   |  |
| • <b>Class</b>  | 6.1 (T1) Toxic substances.                           |

(Contd. on page 7)

Trade name: 1,2,4-trichlorobenzene

(Contd. of page 6)

· **Label** 6.1

· **IMDG**



· **Class** 6.1 Toxic substances.  
· **Label** 6.1

· **IATA**



· **Class** 6.1 Toxic substances.  
· **Label** 6.1

· **14.4 Packing group**

· **ADR, IMDG, IATA** III

· **14.5 Environmental hazards:** Environmentally hazardous substance, liquid;  
Marine Pollutant

· **Marine pollutant:** No  
Symbol (fish and tree)

· **Special marking (ADR):** Symbol (fish and tree)

· **14.6 Special precautions for user** Warning: Toxic substances.

· **Danger code (Kemler):** 60

· **EMS Number:** 6.1-02

· **Segregation groups** Liquid halogenated hydrocarbons

· **Stowage Category** A

· **14.7 Transport in bulk according to Annex II of  
Marpol and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Limited quantities (LQ)** 5L

· **Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml

· **Transport category** 2

· **Tunnel restriction code** E

· **IMDG**

· **Limited quantities (LQ)** 5L

· **Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":** UN 2321 TRICHLOROBENZENES, LIQUID, 6.1,  
III, ENVIRONMENTALLY HAZARDOUS

GB

(Contd. on page 8)

Trade name: 1,2,4-trichlorobenzene

(Contd. of page 7)

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** Substance is not listed.
- **Seveso category** E1 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 49
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Dept. Compliance
- **Contact:** Mr. Th. Stöckle
- **Abbreviations and acronyms:**
  - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
  - ICAO: International Civil Aviation Organisation
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - Acute Tox. 4: Acute toxicity – Category 4
  - Skin Irrit. 2: Skin corrosion/irritation – Category 2
  - Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
  - Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

GB