

Safety Data Sheet

According to Regulation (EC) 1907/2006



1803 Alcohol-Acetone 7:3

1. Identification of the substance/preparation and of the company or firm

1.1 Identification of the substance or preparation

Name:

Alcohol-Acetone 7:3

Synonym:

REACH Registration Number: A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) N° 1907/2006, the annual tonnage does not require a registration, the registration is envisaged for a later registration deadline or it is a mixture.

1.2 Use of the substance/preparation:

For laboratory utilisation, analysis, research and fine chemistry.

1.3 Identification of the company or firm:

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès

(Barcelona) Spain

Tel. (+34) 937 489 400

e-mail: product.safety@panreac.com

1.4 Emergency telephone:

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

2. Identification of dangers

Classification of the substance or the mixture.

Classification Regulation (CE) n° 1272/2008.

Flam. Liq. 2

Eye Irrit. 2

STOT SE 3

Hazard Pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

EUH066 Repeated exposure may cause skin dryness or cracking.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/.../ equipment.

P242 Use only non-sparking tools.

P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

Classification (67/548/CEE or 1999/45/CE).

Xi Irritant	R67
F Highly flammable	R66
	R36
	R11

For the full text of the R-phrases mentioned in this section, see section 16.

3. Component Composition/Information

Name: Alcohol-Acetone 7:3

Composition:

0001: Acetone

Formula: CH₃COCH₃ M.= 58,08 CAS [67-64-1]

EC number (EINECS): 200-662-2

EC index number: 606-001-00-8

REACH Registration Number: 01-2119471330-49-XXXX

Content: >= 25 % <= 35 %

Classification Regulation (CE) n° 1272/2008.

Flam. Liq. 2, Eye Irrit. 2, STOT SE 3

Hazard Pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

EUH066 Repeated exposure may cause skin dryness or cracking.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/.../ equipment.

P242 Use only non-sparking tools.

P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash...thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Classification (67/548/CEE or 1999/45/CE).

F Highly flammable

Xi Irritant

R11 Highly flammable.

R36 Irritating to eyes.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

0002: Ethanol absolute

Formula: CH₃CH₂OH M.= 46,07 CAS [64-17-5]
EC number (EINECS): 200-578-6
EC index number: 603-002-00-5
REACH Registration Number: 01-2119457610-43-XXXX

Content: >= 65 % <= 75 %

Classification Regulation (CE) n° 1272/2008.

Flam. Liq. 2

Hazard Pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/.../ equipment.
P242 Use only non-sparking tools.
P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.
P243 Take precautionary measures against static discharge.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P370+P378 In case of fire: Use for extinction.
P403+P235 Store in a well-ventilated place. Keep cool.

Classification (67/548/CEE or 1999/45/CE).

F Highly flammable **R11** Highly flammable.

4. First aid

4.1 General indications:

Never provide drink or induce vomiting in the event of loss of consciousness.

4.2 Inhaling:

Take the person out into the fresh air. In the event sickness persists, seek medical assistance. In the event of suffocation, proceed to provide artificial respiration.

4.3 Contact with the skin:

Wash with plenty of water. Remove contaminated clothing.

4.4 Eyes:

Wash with plenty of water, keeping eyelids open. In the event of irritation, seek medical assistance.

4.5 Swallowing:

Drink large amounts of water. Induce vomiting. Do not administer emetics. Do not administer animal carbon. Do not drink milk. Seek medical assistance.

5. Fire-fighting means

5.1 Suitable fire-extinguishing means:

Water. Foam. Dry powder.

5.2 Fire-fighting means which must NOT be used:

No specific data.

5.3 Special risks:

Flammable. Keep away from sources of ignition. The fumes are heavier than air, so they may spread at floor level. Risk of inflammation due to accumulation of electrostatic charges.

5.4 Protective equipment:

Suitable clothing and footwear.

6. Measures to be taken in the event of accidental spillage

6.1 Individual precautions:

Do not inhale the fumes.

6.2 Precautions for care of the environment:

Avoid pollution of the soil, water supplies and drains.

6.3 Methods for collection/cleaning:

Collect up with absorbent materials (Panreac General Absorbent, Kieselguhr, etc.) or, if none available, dry sand or earth, and deposit in waste containers for subsequent elimination in accordance with current legislation.

7. Handling and storage

7.1 Handling:

No special indications.

7.2 Storage:

Well sealed containers. In well ventilated premises. Away from sources of ignition and heat. Room temperature.

8. Staff exposure/protection controls

8.1 Technical protective measures:

Ensure good ventilation and renewal of the air in the premises.

8.2 Exposure limit control:

VLA-EC(CH₃COCH₃): 750 ppm - 1.810 mg/m³ ,

VLA-ED(ethanol): 1.000 ppm - 1.910 mg/m³ ,

VLA-ED(CH₃COCH₃): 500 ppm - 1.205 mg/m³ ,

8.3 Respiratory protection:

In the event of fumes forming/aerosols, use suitable respiratory protection. Filter AX, P3.

8.4 Hand protection:

Use suitable gloves latex neopren

8.5 Eye protection:

Use suitable goggles.

8.6 Individual hygiene measures:

Remove contaminated clothing. Wash hands before breaks and when the job is done.

8.7 Environmental exposure controls:

Fulfill the commitments under local environmental protection legislation.

9. Physical and chemical properties

Appearance: liquid

Colour: Colourless

Granulometry: N/A

Odour: Characteristic.

pH:

N/A

Melting point/freezing point: N/A

Initial boiling point and boiling range:

N/A

Flash point: < 10 °C (closed cup)

Flammability (solid, gas):

N/A

Upper/lower flammability or explosive limits:

N/A

Vapour pressure: N/A

Vapour density: N/A

Relative density: (20/4) 0,795

Solubility: Miscible with alcohol and acetone.

Partition coefficient: n-octanol/water:

N/A

Auto-ignition temperature:

N/A

Decomposition temperature: N/A

Kinematic viscosity:N/A

Dynamic viscosity:

N/A

10. Stability and reactivity**10.1 Conditions which should be avoided:**

High temperatures.

10.2 Matter which should be avoided:

Alkaline metals. Alkaline oxides. Strong oxidant agents.

10.3 Hazardous decomposition products:

No specific data.

10.4 Complementary information:

The gases/fumes can form explosive mixtures with the air.

11. Toxicological information

11.1 Acute toxicity:

LD50 oral rat : 5.800 - 7.060 mg/kg

11.2 Dangerous effects for health:

If fumes inhaled: Irritations to the mucosae Risk of cutaneous absorption. Through contact with the eyes: irritations If swallowed: Can cause nausea vomiting Systemic effects: intoxication vertigo narcosis respiratory paralysis Other dangerous characteristics are not discarded. Take the usual precautions for handling chemical products.

12. Environmental information

12.1 Toxicity:

12.1.1 - EC50 test (mg/l):

Bacteria (Photobacterium phosphoreum) 22000-47000 mg/l

Classification:

Toxic

Bacteria (Ps. putida) 1700-6500 mg/l

Classification:

Toxic

Crustaceans (Daphnia magna) 7800-12100 mg/l

Classification:

Toxic

Fish 2000-10.000 mg/l

Classification:

Toxic

12.1.2. - Receptor medium:

Risk for the water environment

Medium

Risk for the land environment

Low

12.1.3. - Observations:

The toxicity is not very high.

12.2 Persistence and Degradability :

12.2.1 - Test:

12.2.2. - Biotic degradation classification:

BOD5/COD

Biodegradability

High, over 1/3

12.2.3. - Abiotic degradation depending on pH:

12.2.4. - Observations:

Easily biodegradable product.

12.3 Bioaccumulative potential:

12.3.1. - Test:

12.3.2. - Bioaccumulation:

Risk

12.3.3. - Observations:

Non-bioaccumulable product.

12.4 Mobility in soil :

Data not available.

12.5 Assessment PBT and MPMB :

Data not available.

12.6 Other possible effects on the environment:

If suitable handling conditions are maintained, no ecological problems are to be anticipated.

Highly purifiable.

DATA BASED on the components of the preparation.

13. Considerations regarding elimination

13.1 Substance or preparation:

In the European Union, there are no homogeneous standards established for elimination of chemical waste, which is waste of a special nature, and treatment and elimination of same is subject to the domestic legislation in each country.

In view of this, in each case, you should contact the competent authority or those companies legally authorized for elimination of waste.

2001/573/EC: Council Decision of 23 July 2001 amending Commission Decision 2000/532/EC as regards the list of wastes. Council Directive 91/156/EEC of 18 March 1991 amending Directive 75/442/EEC on waste.

.

13.2 Contaminated containers:

Contaminated containers and packaging of dangerous substances or preparations must be treated in the same manner as the actual products contained in them.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste.

.

14. Information concerning transport

Overland (ADR):

Technical name: FLAMMABLE LIQUID, N.O.S.

UN 1993 Class: 3 Packaging group: II (D/E)

By sea (IMDG):

Technical name: FLAMMABLE LIQUID, N.O.S.

UN 1993 Class: 3 Packaging group: II

By air (ICAI-IATA):

Technical name: Flammable liquid, n.o.s.

UN 1993 Class: 3 Packaging group: II

Packaging instructions: CAO 364 PAX 353

15. Regulatory information

The substance is subject to Regulation (EC) No 273/2004 of the European Parliament and of the Council, of 11 February 2004 on drug precursors, Council Regulation (EC) No 111/2005 of 22 December 2004 laying down rules for the monitoring of trade between the Community and third countries in drug precursors, Commission Regulation (EC) No 1277/2005 of 27 July 2005 laying down implementing rules for Regulation (EC) No 273/2004 of the European Parliament and of the Council on drug precursors and for Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors.

16. Other information

Other precautionary statements

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash...thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use for extinction.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Labelling (65/548/CEE or 1999/45/CE)

R-phrases(s):	R67 Vapours may cause drowsiness and dizziness. R66 Repeated exposure may cause skin dryness or cracking. R36 Irritating to eyes. R11 Highly flammable.
S-phrases(s):	S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S16 Keep away from sources of ignition - No smoking. S9 Keep container in a well-ventilated place.

Version and revision date : 5 18.9.2012

Replaced: 15.09.2011

In respect of the previous review, changes have been made to the following sections: 9

The information included in this Safety Data Sheet is based on our most up-to-date knowledge, and is solely intended to inform regarding aspects of safety; the properties and characteristics indicated herein are not guaranteed.

