



S a f e t y D a t a S h e e t
According to Regulation (EC) 1907/2006
and (EU) 453/2010

1328 Formaldehyde 30-40% *stabilized with methanol

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Name:

Formaldehyde 30-40% *stabilized with methanol

Synonym:

Formaline, Formol

CAS: [50-00-0]

REACH Registration Number: 01-2119488953-20-XXXX

1.2 Relevant identified uses of the substance or mixture:

For laboratory utilisation, analysis, research and fine chemistry.

1.3 Identification of the company or firm:

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès

(Barcelona) Spain

Tel. (+34) 937 489 400

e-mail: product.safety@panreac.com

1.4 Emergency telephone:

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

2. Identification of dangers

2.1 Classification of the substance or the mixture.

Classification Regulation (CE) nº 1272/2008.

Acute Tox. 3
Acute Tox. 3
Acute Tox. 3
Skin Corr. 1B
Carc. 1B
Skin Sens. 1
Muta. 2
STOT SE 3

Classification (67/548/CEE or 1999/45/CE).

T Toxic

R43
R40
R34
R23/24/25

2.2 Label elements:

Hazard Pictograms



Signal word

Danger

Hazard statements

H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H331 Toxic if inhaled.
H350 May cause cancer.
H341 Suspected of causing genetic defects.
H335 May cause respiratory irritation.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

For the full text of the R-phrases mentioned in this section, see section 16.

2.3 Other hazards:

No further relevant information available.

3. Composition/information on ingredients

Name: Formaldehyde 30-40% *stabilized with methanol

Formula: CH₂O M.= 30,03 CAS [50-00-0]

EC number (EINECS): 200-001-8

EC index number: 605-001-00-5

REACH Registration Number: 01-2119488953-20-XXXX

COMPOSITION:

0001: Methanol

Formula: CH₃OH M.= 32,04 CAS [67-56-1]

EC number (EINECS): 200-659-6

EC index number: 603-001-00-X

REACH Registration Number: 01-2119433307-44-XXXX

Content: >= 11 % <= 14 %

Classification Regulation (CE) n° 1272/2008.

Flam. Liq. 2

Acute Toxicity Inhalation cat. 3

Acute Toxicity Dermal cat. 3

Acute Toxicity Oral cat. 3

STOT SE 1

Hazard Pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

H331 Toxic if inhaled.

H311 Toxic in contact with skin.

H301 Toxic if swallowed.

H370 Causes damage to organs.

Precautionary statements

P280 Wear protective gloves, protective clothing, eye protection or face protection.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P309 IF exposed or if you feel unwell:

P310 Immediately call a POISON CENTER or doctor/physician.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

Classification (67/548/CEE or 1999/45/CE).

F Highly flammable

T Toxic

R11 Highly flammable.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

4. First aid measures

4.1 General indications:

Never provide drink or induce vomiting in the event of loss of consciousness.

4.2 Inhaling:

Take the person out into the fresh air. In the event of suffocation, proceed immediately to provide artificial respiration. Seek immediate medical assistance.

4.3 Contact with the skin:

Wash with plenty of water. Remove contaminated clothing.

4.4 Eyes:

Wash with plenty of water (for at least 15 minutes), keeping eyelids open. Seek medical assistance.

4.5 Swallowing:

Drink large amounts of water. Administer a solution of medical-usage active charcoal. Seek immediate medical assistance. Stomach lavage. Laxatives: sodium sulphate (1 soup-spoonful in 250 ml of water).

5. Firefighting measures

5.1 Suitable extinguishing media:

Dry powder. Alcohol resistant foam.

5.2 Unsuitable extinguishing media:

No specific data.

5.3 Special hazards arising from the substance or mixture:

Combustible. Keep away from sources of ignition. In the event of fire, fumes may form: Auf Rückzündung achten Precipitate fumes formed with water. Do not allow extinguishing water into surface or underground water courses.

5.4 Advice for firefighters:

Suitable clothing and footwear. Self-contained breathing equipment.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Do not inhale the fumes. Avoid contact with the skin, eyes or clothing. Ensure adequate ventilation.

6.2 Environmental precautions:

Do not allow it to enter the drainage system. Avoid pollution of the soil, water supplies and drains.

6.3 Methods and material for containment and cleaning up:

Collect up with absorbent materials (Panreac General Absorbent, Kieselguhr, etc.) or, if none available, dry sand or earth, and deposit in waste containers for subsequent elimination in accordance with current legislation. Clean any remains with plenty of water. Neutralize with excess sodium bisulphite solution.

7. Handling and storage

7.1 Precautions for safe handling:

Low temperatures (below 15°C) encourage polymerization of the product, forming paraformaldehyde. Handle under an extractor fan.

7.2 Conditions for safe storage, including any incompatibilities:

Well sealed containers. Away from light. In well ventilated premises. Away from sources of ignition and heat.

Recommended storage temperature: Room temperature. Restricted access, only authorized to technicians. Do not store in metal containers.

8. Exposure controls/personal protection

8.1 Exposure controls:

Ensure good ventilation and renewal of the air in the premises.

8.2 Control parameters:

VLA-EC(Formaldehyde): 0,37 mg/m³ VLA-EC(Formaldehyde): 0,3 ppm

8.3 Respiratory protection:

In the event of fumes forming/aerosols, use suitable respiratory protection.

8.4 Hand protection:

Use suitable gloves

8.5 Eye/face protection:

Use suitable goggles.

8.6 Individual hygiene measures:

Remove contaminated clothing. Use complete protective equipment. Wash hands and face before breaks and when the job is done.

8.7 Environmental exposure controls:

Fulfill the commitments under local environmental protection legislation.

9. Physical and chemical properties

Appearance: liquid

Colour: Colourless

Granulometry: N/A

Odour: Piquant.

pH: 3 - 4

Melting point/freezing point: 118 °C

Initial boiling point and boiling range: 96 - 98 °C

Flash point: 62 °C

Flammability (solid, gas):

N/A

Upper/lower flammability or explosive limits: 73 %(V) / 7 %(V)

Vapour pressure: N/A

Vapour density: N/A

Relative density:

Insertar Aquí Grupo de repetición

(20/4) 1,08 g/ml

Solubility: Miscible with water

Partition coefficient: n-octanol/water:

N/A

Auto-ignition temperature: 300 °C

Decomposition temperature: N/A

Kinematic viscosity: N/A

Dynamic viscosity:

N/A

10. Stability and reactivity

10.1 Conditions to avoid:

High temperatures.

10.2 Incompatible materials:

Polymerization initiators. Alkaline metals. Acids. Nitrogen oxides. Hydrogen peroxide. Oxidant agents. Performic acid.

10.3 Hazardous decomposition products:

Formaldehyde fumes (in case of fire).

10.4 Chemical stability:

Hygroscopic. Tends to polymerize. The gases/fumes can form explosive mixtures with the air.

11. Toxicological information

11.1 Acute toxicity:

LD L0 oral wmn : 108 mg/kg

LD50 oral rat : 100 mg/kg referred to the pure substance

LD50 skn rbt : 270 mg/kg referred to the pure substance

LC50 inh rat : 203 mg/m3

11.2 Dangerous effects for health:

Risk of perforation in the oesophagus and stomach. Systemic effects: narcosis blindness (irreversible injury of the optic nerve) Other dangerous characteristics are not discarded. Taking the preparation' components into account, the likely dangerous characteristics are as follows: If fumes inhaled: oedemas in the respiratory tract Upon contact with the skin: burns allergic reaction Through contact with the eyes: burns The fumes can cause irritation of the eyes. If swallowed: Burns in the digestive apparatus

12. Environmental information

12.1 Toxicity:

- EC50 test (mg/l):

Bacteria (Photobacterium phosphoreum) 8,5 mg/l

Classification:

Extr. toxic

Bacteria (Ps. putida) EC0 14 mg/l

Classification: Extr. toxic

Algae (M. aeruginosa) EC0 0,4 mg/l

Classification: Extr. toxic

Crustaceans (Daphnia magna) 42 mg/l

Classification:

Extr. toxic

Fish (Salmo gairdneri) 214 mg/l

Classification:

Highly toxic

- Receptor medium:

Risk for the water environment

High

Risk for the land environment

High

- Observations:

Extremely toxic.

Inhibits active sludges.

Bactericide effect. Generally toxic for water organisms.

Protoplasmatic toxic.

12.2 Persistence and Degradability :

- Test:

- Biotic degradation classification:

DOC 1,06 g/g

BOD5/COD

Biodegradability

ThOD 1,068 g/g

High, over 1/3

- Abiotic degradation depending on pH:

BOD5 0,728 g/g

- Observations:

Biodegradable product.

12.3 Bioaccumulative potential:

- Test:

- Bioaccumulation:

Risk

- Observations:

Non-bioaccumulable product.

12.4 Mobility in soil :

Repartition: $\log P(\text{oct}) = 0,00$

12.5 Assessment PBT and MPMB :

Data not available.

12.6 Other adverse effects:

Corrosive product, even in diluted form.

Do not allow it to enter soils or water channels.

13. Disposal considerations

13.1 Waste treatment methods:

In the European Union, there are no homogeneous standards established for elimination of chemical waste, which is waste of a special nature, and treatment and elimination of same is subject to the domestic legislation in each country.

In view of this, in each case, you should contact the competent authority or those companies legally authorized for elimination of waste.

2001/573/EC: Council Decision of 23 July 2001 amending Commission Decision 2000/532/EC as regards the list of wastes. Council Directive 91/156/EEC of 18 March 1991 amending Directive 75/442/EEC on waste.

.

13.2 Contaminated containers:

Contaminated containers and packaging of dangerous substances or preparations must be treated in the same manner as the actual products contained in them.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste.

.

14. Transport information

Overland (ADR):

Technical name: FORMALDEHYDE SOLUTION with not less than 25% formaldehyde

UN 2209 Class: 8 Packaging group: III (E)

By sea (IMDG):

Technical name: FORMALDEHYDE SOLUTION with not less than 25% formaldehyde

UN 2209 Class: 8 Packaging group: III

By air (ICAI-IATA):

Technical name: Formadehyde solution

UN 2209 Class: 8 Packaging group: III

Packaging instructions: CAO 856 PAX 852

15. Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

16. Other information

Other precautionary statements

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection or face protection.
P281 Use personal protective equipment as required.
P202 Do not handle until all safety precautions have been read and understood.
P201 Obtain special instructions before use.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P261 Avoid breathing dust, fume, gas, mist, vapours or spray.
P264 Wash...thoroughly after handling.
P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P310 Immediately call a POISON CENTER or doctor/physician.
P311 Call a POISON CENTER or doctor/physician.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P321 Specific treatment (see on this label).
P322 Specific measures (see on this label).
P330 Rinse mouth.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P338 Remove contact lenses, if present and easy to do. Continue rinsing.
P361 Remove/Take off immediately all contaminated clothing.
P363 Wash contaminated clothing before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P202 Do not handle until all safety precautions have been read and understood.
P281 Use personal protective equipment as required.
P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

Labelling (65/548/CEE or 1999/45/CE)

R-phrases(s):	R43 May cause sensitisation by skin contact. R40 Limited evidence of a carcinogenic effect. R34 Causes burns. R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.
S-phrases(s):	S51 Use only in well-ventilated areas. S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S36/37/39 Wear suitable protective clothing, gloves and eye/face protection. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Version and revision date : 6 15.12.2014

Date published: 15.12.2014

In respect of the previous review, changes have been made to the following sections: 2

The information included in this Safety Data Sheet is based on our most up-to-date knowledge, and is solely intended to inform regarding aspects of safety; the properties and characteristics indicated herein are not guaranteed.