

Specification

Phenol equilibrated, stabilized

A1153

Physical Description:	Liquid
Product Code:	A1153
Product Name:	Phenol equilibrated, stabilized
Short Description:	Stabilization: stabilized with 0.1 % 8-Hydroxyquinoline, extracted with Tris - Solution
Specifications:	Assay (titr.): 89 - 90 % pH (20°C): 7.8 - 8.2 Heavy metals: max. 0.0005 % Water (K.F.): 10 - 11 % Stability: approx. 9 months
Hazard pictograms	
UN:	2821
Class/PG:	6.1/II
ADR:	6.1/II
IMDG:	6.1/II
IATA:	6.1/II
WGK:	2
Storage:	2-8°C

AppliChem GmbH

Ottoweg 4 • D-64291 Darmstadt • Phone +49 6151 9357 0 • Fax +49 6151 9357 11 • info.de@itwreagents.com • www.itwreagents.com
CEO Joan Roget • Commerzbank Darmstadt • Bank 508 800 50 • Account 0186989900 IBAN DE24 5088 0050 0186 9899 00 • Swiftcode DRESDEFF508 • Finanzamt Darmstadt 07 228 16476 • Register court Darmstadt HRB Nr. 7340

Specification

Phenol equilibrated, stabilized

A1153

	protected from light under argon
Signal Word:	Danger
GHS Symbols:	GHS05 GHS06 GHS08 GHS09
H Phrases:	H301+H311+H331 H314 H341 H373 H411
P Phrases:	P260 P280 P303+P361+P353 P304+P340 P305+P351+P338 P310
CAS:	108-95-2
EINECS:	203-632-7
CS:	29071100
Index Nr.:	604-001-00-2

AppliChem GmbH

Ottoweg 4 • D-64291 Darmstadt • Phone +49 6151 9357 0 • Fax +49 6151 9357 11 • info.de@itwreagents.com • www.itwreagents.com
 CEO Joan Roget • Commerzbank Darmstadt • Bank 508 800 50 • Account 0186989900 IBAN DE24 5088 0050 0186 9899 00 • Swiftcode
 DRESDEFF508 • Finanzamt Darmstadt 07 228 16476 • Register court Darmstadt HRB Nr. 7340

Specification

Phenol equilibrated, stabilized

A1153

Comment

For the efficient extraction of DNA, the use of equilibrated, stabilized Phenol with a high pH (pH approx. 7.5 - 8.0) is important. At low pH values (pH <6) DNA will be retained in the organic phase and interphase, leaving RNA in the aqueous phase. The salt concentration should not remain under 50 mM, because oligomers, in particular, may be lost to the phenol phase. If the salt concentration is too high, an inversion of organic and aqueous phase may occur. The addition of the antioxidant 8-hydroxyquinoline facilitates the identification of the organic phase by its bright yellow color and has the additional advantages of reducing the rate of phenol oxidation and the partial inhibition of ribonucleases. To improve the dissociation of proteins from nucleic acids, which is the fundamental aim of a phenol extraction, the use of chloroform in conjunction with phenol has been shown to increase the yield of nucleic acids. Chloroform denatures proteins (like phenol) and enhances the separation of the organic and aqueous phases. Other advantages are the removal of lipids by chloroform and a reduction of the amount of water retained in the organic phase. Phenol has a very limited shelf life and its stability is additionally reduced by a high pH. Its 'quality' can be monitored by a change of the color from colorless to pink/red. Such pink/red solutions should not be used, since the oxidized products of phenol may lead to strand breaks of nucleic acids. We recommend the use of stabilized phenol solutions (8-Hydroxychinolin as an antioxidant). Phenol from AppliChem is bottled under argon. Stocks may be stored frozen in the dark at -20°C in PE tubes.

AppliChem GmbH

Ottoweg 4 • D-64291 Darmstadt • Phone +49 6151 9357 0 • Fax +49 6151 9357 11 • info.de@itwreagents.com • www.itwreagents.com
CEO Joan Roget • Commerzbank Darmstadt • Bank 508 800 50 • Account 0186989900 IBAN DE24 5088 0050 0186 9899 00 • Swiftcode DRESDEFF508 • Finanzamt Darmstadt 07 228 16476 • Register court Darmstadt HRB Nr. 7340