

Safety Data Sheet
 acc. to OSHA HCS

Page 1/9

Printing date 12/30/2017
 Reviewed on 12/30/2017
 Version number: 4

1 Identification

- **Product identifier**
- **Trade name:** Sodium Hydroxide 1 mol/l (1N)
- **Article number:** A6579
- **Application of the substance / the mixture** Laboratory chemical
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 AppliChem GmbH
 Ottoweg 4
 D-64291 Darmstadt
- **Information department:** Dept. Compliance
- **Emergency telephone number:** +49(0)6151 93570 (Inside normal business hours)

Tel.: +49 (0)6151 93570
 Fax.: +49 (0)6151 935711
 msds@applichem.com

2 Hazard(s) identification

- **Classification of the substance or mixture**
 Skin Corr. 1A H314 Causes severe skin burns and eye damage.
 Eye Dam. 1 H318 Causes serious eye damage.
- **Label elements**
- **GHS label elements**
 The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard statements**
 H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P313 Get medical advice/attention.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 3
 Fire = 0
 Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 3
 Fire = 0
 Reactivity = 0

(Contd. on page 2)

US

Trade name: Sodium Hydroxide 1 mol/l (1N)

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

1310-73-2	sodium hydroxide
-----------	------------------

≥2-<5%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air or oxygen; call for doctor.
- **After skin contact:**
Wash off with plenty of water.
Wash with polyethylene glycol 400 and then rinse with copious amounts of water.
Seek medical treatment.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
Call a doctor immediately.
- **After swallowing:**
Rinse out mouth.
make victim drink water (maximum of 2 drinking glasses)
Do not attempt to neutralize.
Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
Non-combustible.
Development of hazardous combustion gases or vapours possible in the event of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Contain escaping vapours with water.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Avoid substance contact.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Trade name: Sodium Hydroxide 1 mol/l (1N)

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (AppliSorb).
Use neutralizing agent.
Ensure adequate ventilation.
Clean up affected area.
Dispose of the collected material according to regulations.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

• **PAC-1:**

1310-73-2	sodium hydroxide	0.5 mg/m ³
-----------	------------------	-----------------------

• **PAC-2:**

1310-73-2	sodium hydroxide	5 mg/m ³
-----------	------------------	---------------------

• **PAC-3:**

1310-73-2	sodium hydroxide	50 mg/m ³
-----------	------------------	----------------------

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Provide alkali-resistant floor.
No metal containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Recommended storage temperature:** +15 - +25°C
- **Storage class:** 8 B
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

• **Components with limit values that require monitoring at the workplace:**

1310-73-2 sodium hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
Respiratory protection required when vapours/aerosols are generated.

(Contd. on page 4)

Trade name: Sodium Hydroxide 1 mol/l (1N)

(Contd. of page 3)

Short term filter device:
Filter P2

• **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• **For the permanent contact gloves made of the following materials are suitable:**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Value for the permeation: Level ≥ 480 min

• **As protection from splashes gloves made of the following materials are suitable:**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Value for the permeation: Level ≥ 480 min

• **Eye protection:**



Tightly sealed goggles

• **Body protection:**

Use protective suit.

Alkaline resistant protective clothing

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

9 Physical and chemical properties

• **Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

Form: Fluid

Color: Colorless

• **Odor:** Odorless

• **pH-value at 20 °C (68 °F):** >12

• **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

• **Flash point:** Not applicable.

• **Auto igniting:** Product is not selfigniting.

• **Danger of explosion:** Product does not present an explosion hazard.

(Contd. on page 5)

Trade name: Sodium Hydroxide 1 mol/l (1N)

(Contd. of page 4)

- | | |
|--|--|
| · Vapor pressure: | Not determined. |
| · Density: | Not determined. |
| · Solubility in / Miscibility with Water: | Fully miscible. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| VOC content: | 0.00 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** No dangerous reactions known.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Reacts with light alloys to form hydrogen.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**
Risk of explosion with:
metals
- **Hazardous decomposition products:** No dangerous decomposition products known.
- **Additional information:** Hydrogen may form upon contact with metals (danger of explosion!).

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Corrosive
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)**
None of the ingredients is listed.
- **NTP (National Toxicology Program)**
None of the ingredients is listed.
- **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.

US
(Contd. on page 6)

Trade name: Sodium Hydroxide 1 mol/l (1N)

(Contd. of page 5)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:**


Type of test	Effective concentration	Method	Assessment
1310-73-2 sodium hydroxide			
EC50/48 h	40.4 mg/l	(Aquatic Invertebrata)	

- **Persistence and degradability**
Methods for the determination of biodegradability are not applicable on inorganic substances.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow to enter waters, waste water, or soil.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Chemicals must be disposed of in compliance with the respective national regulations.
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:**
Disposal must be made according to official regulations.
Packagings that cannot be cleansed are to be disposed of in the same manner as the product.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information



· UN-Number	
· DOT, ADR, IMDG, IATA	UN1824
· UN proper shipping name	
· DOT, ADR	Sodium hydroxide solution
· IMDG, IATA	SODIUM HYDROXIDE SOLUTION
· Transport hazard class(es)	
· DOT	
	
· Class	8 Corrosive substances

(Contd. on page 7)

US

Trade name: Sodium Hydroxide 1 mol/l (1N)

(Contd. of page 6)

· Label	8
· ADR	
	
· Class	8 (C5) Corrosive substances
· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, ADR, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Alkalis
· Stowage Category	A
· Segregation Code	SG35 Stow "separated from" acids.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All ingredients are listed.

(Contd. on page 8)

Trade name: Sodium Hydroxide 1 mol/l (1N)

(Contd. of page 7)

• **Proposition 65**

• **Chemicals known to cause cancer:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

• **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

• **Carcinogen categories**

• **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

• **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

• **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

• **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

• **Hazard pictograms**



GHS05

• **Signal word** Danger

• **Hazard statements**

H314 Causes severe skin burns and eye damage.

• **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/attention.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Dept. Compliance

• **Date of preparation / last revision** 12/30/2017 / 3

• **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 9)

Trade name: Sodium Hydroxide 1 mol/l (1N)

(Contd. of page 8)

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

• *** Data compared to the previous version altered.**

US