

Safety Data Sheet
 acc. to OSHA HCS

Page 1/9

Printing date 05/18/2018
 Reviewed on 05/18/2018
 Version number: 4

1 Identification

- **Product identifier**
- **Trade name:** Hydrochloric Acid 20 %
- **Article number:** 122523
- **Application of the substance / the mixture**
 Pharmaceutical analysis
 Laboratory chemical
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 AppliChem GmbH
 Ottoweg 4
 D-64291 Darmstadt
- **Information department:** Dept. Compliance
- **Emergency telephone number:** +49(0)6151 93570 (Inside normal business hours)

Tel.: +49 (0)6151 93570
 Fax.: +49 (0)6151 935711
 msds@appliChem.com

2 Hazard(s) identification

- **Classification of the substance or mixture**
 Skin Irrit. 2 H315 Causes skin irritation.
 Eye Irrit. 2A H319 Causes serious eye irritation.
 STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**
- **GHS label elements**
 The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**
 hydrogen chloride
- **Hazard statements**
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
- **Precautionary statements**
 P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P314 Get medical advice/attention if you feel unwell.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 2
 Fire = 0
 Reactivity = 0

(Contd. on page 2)

US

Trade name: Hydrochloric Acid 20 %

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

* **3 Composition/information on ingredients**

- **Chemical characterization:** Mixtures
- **Description:** aqueous solution

· **Dangerous components:**

7647-01-0	hydrogen chloride	>10-≤20%
-----------	-------------------	----------

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air or oxygen; call for doctor.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth.
Seek medical treatment.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
Non-combustible.
Development of hazardous combustion gases or vapours possible in the event of fire.
In case of fire, the following can be released:
Hydrogen chloride (HCl)
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.

* **6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**
Use respiratory protective device against the effects of fumes/dust/aerosol.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Trade name: Hydrochloric Acid 20 %

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (AppliSorb).
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

• **PAC-1:**

7647-01-0	hydrogen chloride	1.8 ppm
-----------	-------------------	---------

• **PAC-2:**

7647-01-0	hydrogen chloride	22 ppm
-----------	-------------------	--------

• **PAC-3:**

7647-01-0	hydrogen chloride	100 ppm
-----------	-------------------	---------

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Work only in fume cabinet.
- **Information about protection against explosions and fires:** The product is not flammable.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Recommended storage temperature:** +15 - +25°C
- **Storage class:** 12
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

• **Components with limit values that require monitoring at the workplace:**

7647-01-0 hydrogen chloride

PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm
REL	Ceiling limit value: 7 mg/m ³ , 5 ppm
TLV	Ceiling limit value: 2.98 mg/m ³ , 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
Respiratory protection required when vapours/aerosols are generated.
Combination filter E-P2

(Contd. on page 4)

—US—

Trade name: Hydrochloric Acid 20 %

(Contd. of page 3)

• **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• **For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.7 mm

Value for the permeation: Level ≥ 480 Min

• **As protection from splashes gloves made of the following materials are suitable:**

Recommended thickness of the material: ≥ 0.7 mm

Butyl rubber, BR

Value for the permeation: Level ≥ 480 Min

• **Eye protection:** Safety glasses

• **Body protection:** Acid resistant protective clothing

9 Physical and chemical properties

• **Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

Form:	Fluid
Color:	Colorless
Odor:	Pungent

• **pH-value at 20 °C (68 °F):** <1

• **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	102 °C (215.6 °F)

• **Flash point:** Not applicable.

• **Auto igniting:** Product is not selfigniting.

• **Danger of explosion:** Product does not present an explosion hazard.

• **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

• **Density at 20 °C (68 °F):** 1.05 g/cm³ (8.762 lbs/gal)

• **Solubility in / Miscibility with**

Water: Fully miscible.

• **Viscosity:**

Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 5)

Trade name: Hydrochloric Acid 20 %

(Contd. of page 4)

- **Solvent content:**
 - Water:** 80.0 %
 - VOC content:** 0.00 %
 - 0.0 g/l / 0.00 lb/gl
- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No dangerous reactions known.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Reacts with alkaline metals.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No dangerous reactions known.
- **Hazardous decomposition products:** In the event of fire: See chapter 5

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**

Components	Type	Value	Species
7647-01-0 hydrogen chloride			
Dermal	LD50	>5,010 mg/kg	(rabbit)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

IARC (International Agency for Research on Cancer)		
7647-01-0	hydrogen chloride	3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:**

Type of test	Effective concentration	Method	Assessment
7647-01-0 hydrogen chloride			
EC50/72 h	0.78 mg/l	(Algae)	
EC50/48 h	0.492 mg/l	(daphnia magna)	
LC50/96 h	24.6 mg/l	(fish)	

(Contd. on page 6)

Trade name: Hydrochloric Acid 20 %



(Contd. of page 5)

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow to enter waters, waste water, or soil.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.


14 Transport information

- | | |
|---|-----------------------------|
| • UN-Number | UN1789 |
| • DOT, ADR, IMDG, IATA | |
| • UN proper shipping name | Hydrochloric acid solution |
| • DOT, ADR | HYDROCHLORIC ACID solution |
| • IMDG, IATA | |
| • Transport hazard class(es) | |
| • DOT | |
|  | |
| • Class | 8 Corrosive substances |
| • Label | 8 |
| • ADR | |
|  | |
| • Class | 8 (C1) Corrosive substances |

(Contd. on page 7)

Trade name: Hydrochloric Acid 20 %

(Contd. of page 6)

· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, ADR, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Acids
· Stowage Category	E
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID SOLUTION, 8, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

7647-01-0 hydrogen chloride

· Section 313 (Specific toxic chemical listings):

7647-01-0 hydrogen chloride

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 8)

Trade name: Hydrochloric Acid 20 %

(Contd. of page 7)

• **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

• **Carcinogenicity categories**

• **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

• **TLV (Threshold Limit Value established by ACGIH)**

7647-01-0 hydrogen chloride

A4

• **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

• **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

• **Hazard pictograms**



GHS07

• **Signal word** Warning

• **Hazard-determining components of labeling:**

hydrogen chloride

• **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

• **Precautionary statements**

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Dept. Compliance

• **Date of preparation / last revision** 05/18/2018 / 3

• **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

(Contd. on page 9)

US

Trade name: Hydrochloric Acid 20 %

(Contd. of page 8)

OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• *** Data compared to the previous version altered.**

— US —