

**Safety Data Sheet**  
 acc. to OSHA HCS

Page 1/7

Printing date 05/25/2017  
 Reviewed on 05/19/2017  
 Version number: 2

## 1 Identification

- **Product identifier**
- **Trade name:** urea
- **Article number:** A1049
- **CAS Number:**  
57-13-6
- **EC number:**  
200-315-5
- **Application of the substance / the mixture**  
Chemical for various applications  
Laboratory chemical
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
AppliChem GmbH  
Ottoweg 4  
D-64291 Darmstadt
- **Information department:** Dept. Compliance
- **Emergency telephone number:** +49(0)6151 93570 (Inside normal business hours)

Tel.: +49 (0)6151 93570  
 Fax.: +49 (0)6151 935711  
 msds@applichem.com

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The substance is not classified according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

Trade name: urea

(Contd. of page 1)

### 3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**  
57-13-6 urea
- **Identification number(s)**
- **EC number:** 200-315-5

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Wash off with plenty of water.  
Immediately remove any clothing soiled by the product.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**  
make victim drink water (maximum of 2 drinking glasses)  
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** Nausea
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
Non-combustible.  
In case of fire, the following can be released:  
Nitrogen oxides (NO<sub>x</sub>)  
Ambient fire may liberate hazardous vapeurs.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Contain escaping vapours with water.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Avoid formation of dust.  
Do not inhale dust.  
Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Pick up mechanically.  
Avoid generation of dusts.  
Clean up affected area.  
Dispose of the collected material according to regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

(Contd. on page 3)

Trade name: urea

(Contd. of page 2)

- **Protective Action Criteria for Chemicals**
- **PAC-1:** 30 mg/m<sup>3</sup>
- **PAC-2:** 280 mg/m<sup>3</sup>
- **PAC-3:** 1,700 mg/m<sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Provide suction extractors if dust is formed.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container sealed.
- **Recommended storage temperature:** +15 - +25 °C
- **Storage class:** 10 - 13
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

• **Components with limit values that require monitoring at the workplace:**

**57-13-6 urea**

WEEL Long-term value: 10 mg/m<sup>3</sup>

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Change contaminated clothing.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.  
Filter P2
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact gloves made of the following materials are suitable:**  
Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.11$  mm  
Value for the permeation: Level  $\geq 480$  min
- **As protection from splashes gloves made of the following materials are suitable:**  
Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.11$  mm  
Value for the permeation: Level  $\geq 480$  min
- **Eye protection:** Safety glasses

(Contd. on page 4)

Trade name: urea

(Contd. of page 3)

· **Body protection:**

Protective work clothing

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Solid in various forms

Color: White

· **Odor:** Ammonia-like

· **Odor threshold:** Not determined.

· **pH-value:** ~9

· **Change in condition**

Melting point/Melting range: 133 °C (271 °F)

Boiling point/Boiling range: Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Product is not flammable.

· **Ignition temperature:**

Decomposition temperature: Not determined.

· **Auto igniting:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

· **Vapor pressure:** Not applicable.

· **Density at 20 °C (68 °F):** 1.323 g/cm<sup>3</sup> (11.04 lbs/gal)

· **Bulk density at 20 °C (68 °F):** 725-760 kg/m<sup>3</sup>

· **Relative density** Not determined.

· **Vapor density** Not applicable.

· **Evaporation rate** Not applicable.

· **Solubility in / Miscibility with**

Water at 20 °C (68 °F): 1000 g/l

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic: Not applicable.

Kinematic: Not applicable.

· **Other information** No further relevant information available.

## 10 Stability and reactivity

· **Reactivity** No dangerous reactions known.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** Heating

· **Possibility of hazardous reactions** Reacts with alkalis releasing ammonia.

· **Conditions to avoid** No further relevant information available.

(Contd. on page 5)

Trade name: urea

(Contd. of page 4)

- **Incompatible materials:** No dangerous reactions known.
- **Hazardous decomposition products:** In the event of fire: See chapter 5
- **Additional information:** Dust explosion possible.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**  
Quantitative data on the toxicological effect of this product are not available.

Components	Type	Value	Species
Oral LD50		8471 mg/kg	(rat)

- **Additional toxicological information:**  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.  
The substance is not subject to classification.
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** Substance is not listed.
- **NTP (National Toxicology Program)** Substance is not listed.
- **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Assessment by list): slightly hazardous for water  
Do not allow to enter waters, waste water, or soil.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Chemicals must be disposed of in compliance with the respective national regulations.  
Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:**  
Disposal must be made according to official regulations.  
Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

— US —  
(Contd. on page 6)

Trade name: urea

(Contd. of page 5)

## 14 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): Substance is listed.
- Proposition 65
- Chemicals known to cause cancer: Substance is not listed.
- Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- Chemicals known to cause developmental toxicity: Substance is not listed.
- Cancerogenity categories
- EPA (Environmental Protection Agency) II
- TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- GHS label elements Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Dept. Compliance
- Contact: Mr. Th. Stöckle
- Date of preparation / last revision 05/25/2017 / 1
- Abbreviations and acronyms:  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 7)

**Trade name: urea**

(Contd. of page 6)

IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit

—US—