



PRODUCT CODE: 125286

Petroleum Ether 190-250°C-Kerosene for analysis

CAS [64742-49-0]

EINECS 265-151-9

TARIC 2710 12 25 99

SYNONYMS: Kerosene

PHYSICAL DATA: liquid, Clear, Colourless, Immiscible with water. • D 20/4 0,8 • B.P.: 190 - 250 °C • n_{20/D} : 1,44 • Flash P.:70 °C •

BIBLIOGRAPHY: Merck Index **12**, 5.305 13, 5.311

HAZARDOUS: C.E: 649-328-00-1 •



H: H225 • H315 • H373 • H411 • H361f • H304 •

P: P210 • P233 • P240 • P241 • P242 • P243 • P260 • P264 • P273 • P280 • P301+P310 • P302+P352 • P303+P361+P353 • P314 • P321 • P331 • P332+P313 • P362 • P370+P378 • P391 • P403+P235 • P405 • P501 •

TRANSPORT REGULATIONS: UN: 1268 • ADR: 3/III • IMDG: 3/III • IATA: 3/III • PAX: 355 • CAO: 366 • (D/E) •

WEIGHT/VOLUME INFORMATION: 1l~0,797 kg 1kg~1,254 l

SPECIFICATIONS:

Range of Boiling

190-250 °C

Refractive Index n_{20/D}

1,437-1,438

Maximum limit of impuritiesDarkened substances by H₂SO₄Residue on ignition (as SO₄)Water (H₂O)

passes test

0,001 %

0,01 %

Ed.: 3 . Vig.: 15.01.2011 .

Prod.: 125286