



3177 Cobalt *standard solution Co=1,000+-0,002 g/l

1. Identification of the substance/preparation and of the company or firm

1.1 Identification of the substance or preparation

Name:

Cobalt *standard solution Co=1,000+-0,002 g/l

Synonym:

REACH Registration Number: A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) N° 1907/2006, the annual tonnage does not require a registration, the registration is envisaged for a later registration deadline or it is a mixture.

1.2 Use of the substance/preparation:

For laboratory utilisation, analysis, research and fine chemistry.

1.3 Identification of the company or firm:

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès

(Barcelona) Spain

Tel. (+34) 937 489 400

e-mail: product.safety@panreac.com

1.4 Emergency telephone:

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

2. Identification of dangers

Classification of the substance or the mixture.

Classification Regulation (CE) n° 1272/2008.

Eye Irrit. 2

STOT SE 3

Skin Irrit. 2

Hazard Pictograms



Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H315 Causes skin irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash...thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

Classification (67/548/CEE or 1999/45/CE).

Xi Irritant

R36/37/38

For the full text of the R-phrases mentioned in this section, see section 16.

3. Component Composition/Information

Name: Cobalt *standard solution Co=1,000+-0,002 g/l

Composition:**0001: Nitric Acid 0,5 mol/l *(0,5N)**Formula: HNO₃ M.= 63,01 CAS [7697-37-2]

EC number (EINECS): 231-714-2

Content: >= 1 % <= 5 %**Classification Regulation (CE) n° 1272/2008.**

Eye Irrit. 2

Skin Irrit. 2

Hazard Pictograms**Signal word**

Warning

Hazard statements

H319 Causes serious eye irritation.

H315 Causes skin irritation.

Precautionary statements

P264 Wash...thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see on this label).
P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

Classification (67/548/CEE or 1999/45/CE).

Xi Irritant

R36/38 Irritating to eyes and skin.

0002: Cobalt(II) Nitrate 6-hydrate

Formula: $\text{Co}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$ M.= 291,03 CAS [10026-22-9]

EC number (EINECS): 233-402-1

Content: $\geq 0,1 \%$ $\leq 1 \%$

Classification Regulation (CE) nº 1272/2008.

Carc. 1B

Repr. 1B

Resp. Sens 1

Skin Sens. 1

Muta. 2

Aquatic Acute 1

Aquatic Chronic 1

Hazard Pictograms



Signal word

Danger

Hazard statements

H350i May cause cancer by inhalation.

H360F May damage fertility.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P281 Use personal protective equipment as required.
- P285 In case of inadequate ventilation wear respiratory protection.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
- P363 Wash contaminated clothing before reuse.
- P391 Collect spillage.
- P405 Store locked up.

Classification (67/548/CEE or 1999/45/CE).

- | | |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>N Dangerous for the environment</p> <p>T Toxic</p> | <p>R68 Possible risk of irreversible effects.</p> <p>R42/43 May cause sensitisation by inhalation and skin contact.</p> <p>R60 May impair fertility.</p> <p>R49 May cause cancer by inhalation.</p> <p>R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</p> |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

4. First aid

4.1 General indications:

Never provide drink or induce vomiting in the event of loss of consciousness.

4.2 Inhaling:

Take the person out into the fresh air.

4.3 Contact with the skin:

Wash with plenty of water. Remove contaminated clothing.

4.4 Eyes:

Wash with plenty of water (for at least 15 minutes), keeping eyelids open. Seek medical assistance.

4.5 Swallowing:

Drink large amounts of water. Induce vomiting. Seek medical assistance.

5. Fire-fighting means

5.1 Suitable fire-extinguishing means:

As appropriate to the environment.

5.2 Fire-fighting means which must NOT be used:

No specific data.

5.3 Special risks:

Incombustible. In the event of fire, toxic fumes may form: Upon contact with metals, hydrogen gas may form (there is a risk of explosion).

5.4 Protective equipment:

Suitable clothing and footwear.

6. Measures to be taken in the event of accidental spillage**6.1 Individual precautions:**

Avoid contact with the skin, eyes or clothing.

6.2 Precautions for care of the environment:

Avoid pollution of the soil, water supplies and drains.

6.3 Methods for collection/cleaning:

Collect up with absorbent materials (Panreac General Absorbent, Kieselguhr, etc.) or, if none available, dry sand or earth, and deposit in waste containers for subsequent elimination in accordance with current legislation. Clean any remains with plenty of water.

7. Handling and storage**7.1 Handling:**

No special indications.

7.2 Storage:

Well sealed containers. Room temperature. In well ventilated premises. Restricted access, only authorized to technicians.

8. Staff exposure/protection controls**8.1 Technical protective measures:**

No special indications.

8.2 Exposure limit control:

: Data not available.

MAK (HNO₃) 2 ml/m³; 5 mg/m³

8.3 Respiratory protection:

In the event of fumes forming/aerosols, use suitable respiratory protection.

8.4 Hand protection:

Use suitable gloves

8.5 Eye protection:

Use suitable goggles.

8.6 Individual hygiene measures:

Remove contaminated clothing. Use suitable work clothing. Wash hands before breaks and when the job is done.

8.7 Environmental exposure controls:

Fulfill the commitments under local environmental protection legislation.

9. Physical and chemical properties

Appearance: liquid

Colour:

N/A

Granulometry: N/A

Odour: Odourless.

pH: 0,5

Melting point/freezing point: N/A

Initial boiling point and boiling range:

N/A

Flash point:

N/A

Flammability (solid, gas):

N/A

Upper/lower flammability or explosive limits:

N/A

Vapour pressure: N/A

Vapour density: N/A

Relative density: (20/4) 1,02

Solubility: Miscible with water

Partition coefficient: n-octanol/water:

N/A

Auto-ignition temperature:

N/A

Decomposition temperature: N/A

Viscosity: N/A

10. Stability and reactivity

10.1 Conditions which should be avoided:

High temperatures.

10.2 Matter which should be avoided:

Metals. Organic compounds.

10.3 Hazardous decomposition products:

Nitrous fumes.

10.4 Complementary information:

No specific data.

11. Toxicological information

11.1 Acute toxicity:

: Data not available.

11.2 Dangerous effects for health:

If fumes inhaled: Irritations to the respiratory tracts. Can cause coughing breathing difficulties Carcinogenic in animal testing. Upon contact with the skin: irritations burns Through contact with the eyes: irritations burns If swallowed: Irritations of the mucosae in the mouth, throat, oesophagus and intestinal tract. Systemic effects: Can cause loss of appetite hypotension anxiety spasms kidney problems cardiovascular disorders pancreas disorders

12. Environmental information

12.1 Toxicity:

12.1.1 - EC50 test (mg/l):

Bacteria (Photobacterium phosphoreum) 16 mg/l

Classification:

Extr. toxic

Fish 4.0 mg/l

Classification:

Extr. toxic

Bacteria 6,2 mg/l

Classification:

Extr. toxic

Mammals 5.0 mg/l

Classification:

Extr. toxic

12.1.2. - Receptor medium:

Risk for the water environment

High

Risk for the land environment

Medium

12.1.3. - Observations:

Extremely toxic in water supplies and soils. Ecotoxicity acute and chronic.

12.2 Persistence and Degradability :

12.2.1 - Test:

12.2.2. - Biotic degradation classification:

BOD5/COD

Biodegradability

12.2.3. - Abiotic degradation depending on pH:

12.2.4. - Observations:

12.3 Bioaccumulative potential:

12.3.1. - Test:

12.3.2. - Bioaccumulation:

Risk = ----

12.3.3. - Observations:

Bioaccumulable product.

[Co (II)].

12.4 Mobility in soil :

Data not available.

12.5 Assessment PBT and MPMB :

Data not available.

12.6 Other possible effects on the environment:

Encourages eotrophy in rivers and water channels.

Do not allow it to enter soils or water channels.

DATA BASED on the components of the preparation.

(Soluble compounds of cobalt II)

13. Considerations regarding elimination

13.1 Substance or preparation:

In the European Union, there are no homogeneous standards established for elimination of chemical waste, which is waste of a special nature, and treatment and elimination of same is subject to the domestic legislation in each country.

In view of this, in each case, you should contact the competent authority or those companies legally authorized for elimination of waste.

2001/573/EC: Council Decision of 23 July 2001 amending Commission Decision 2000/532/EC as regards the list of wastes. Council Directive 91/156/EEC of 18 March 1991 amending Directive 75/442/EEC on waste.

.

13.2 Contaminated containers:

Contaminated containers and packaging of dangerous substances or preparations must be treated in the same manner as the actual products contained in them.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste.

.

14. Information concerning transport

Overland (ADR):

Technical name: CORROSIVE LIQUID, N.O.S.

UN 1760 Class: 8 Packaging group: III (E)

By sea (IMDG):

Technical name: CORROSIVE LIQUID, N.O.S.

UN 1760 Class: 8 Packaging group: III

By air (ICAI-IATA):

Technical name: Corrosive liquid, n.o.s

UN 1760 Class: 8 Packaging group: III

Packaging instructions: CAO 856 PAX 852

15. Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

16. Other information

Other precautionary statements

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P321 Specific treatment (see on this label).
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Labelling (65/548/CEE or 1999/45/CE)

R-phrase(s): **R36/37/38** Irritating to eyes, respiratory system and skin.

S-phrase(s): **S36** Wear suitable protective clothing.
 S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

The information included in this Safety Data Sheet is based on our most up-to-date knowledge, and is solely intended to inform regarding aspects of safety; the properties and characteristics indicated herein are not guaranteed.
In respect of the previous review, changes have been made to the following sections: 2, 3, 15
Date published: 3.11.10
Review number and date: 3 3.11.10