



## 3189 Lead \*standard solution Pb=1,000+-0,002 g/l

### 1. Identification of the substance/preparation and of the company or firm

#### 1.1 Identification of the substance or preparation

Name:

Lead \*standard solution Pb=1,000+-0,002 g/l

**Synonym:**

**REACH Registration Number:** A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) N° 1907/2006, the annual tonnage does not require a registration, the registration is envisaged for a later registration deadline or it is a mixture.

#### 1.2 Use of the substance/preparation:

For laboratory utilisation, analysis, research and fine chemistry.

#### 1.3 Identification of the company or firm:

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès

(Barcelona) Spain

Tel. (+34) 937 489 400

e-mail: [product.safety@panreac.com](mailto:product.safety@panreac.com)

#### 1.4 Emergency telephone:

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

### 2. Identification of dangers

Classification of the substance or the mixture.

**Classification Regulation (CE) n° 1272/2008.**

#### Hazard Pictograms



#### Signal word

Warning

### **Hazard statements**

H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H315 Causes skin irritation.

### **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash...thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

### **Classification (67/548/CEE or 1999/45/CE).**

**Xi** Irritant

R36/37/38

For the full text of the R-phrases mentioned in this section, see section 16.

### **3. Component Composition/Information**

Name: Lead \*standard solution Pb=1,000+-0,002 g/l

#### **Composition:**

##### **0001: Nitric Acid 69%**

Formula: HNO<sub>3</sub> M.= 63,01 CAS [7697-37-2]  
EC number (EINECS): 231-714-2  
EC index number: 007-004-00-1  
REACH Registration Number: 01--2119487297-23-XXXX

**Content:** >= 1 % <= 5 %

#### **Classification Regulation (CE) n° 1272/2008.**

Skin Corr. 1A

Ox. Sol. 3

#### **Hazard Pictograms**



#### **Signal word**

Danger

### **Hazard statements**

H314 Causes severe skin burns and eye damage.  
H272 May intensify fire; oxidiser.

### **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P220 Keep/Store away from clothing/combustible materials.  
P221 Take any precaution to avoid mixing with combustibles.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 Wash...thoroughly after handling.  
P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/physician.  
P321 Specific treatment (see on this label).  
P338 Remove contact lenses, if present and easy to do. Continue rinsing.  
P363 Wash contaminated clothing before reuse.  
P370+P378 In case of fire: Use for extinction.  
P405 Store locked up.

### **Classification (67/548/CEE or 1999/45/CE).**

**C** Corrosive

**R35** Causes severe burns.

## **4. First aid**

### **4.1 General indications:**

Never provide drink or induce vomiting in the event of loss of consciousness.

### **4.2 Inhaling:**

Take the person out into the fresh air.

### **4.3 Contact with the skin:**

Wash with plenty of water. Remove contaminated clothing.

### **4.4 Eyes:**

Wash with plenty of water, keeping eyelids open. In the event of irritation, seek medical assistance.

### **4.5 Swallowing:**

Drink large amounts of water. Induce vomiting. Seek medical assistance.

## **5. Fire-fighting means**

### **5.1 Suitable fire-extinguishing means:**

As appropriate to the environment.

### **5.2 Fire-fighting means which must NOT be used:**

No specific data.

### **5.3 Special risks:**

Incombustible. In the event of fire, toxic fumes may form:

#### **5.4 Protective equipment:**

Suitable clothing and footwear.

### **6. Measures to be taken in the event of accidental spillage**

#### **6.1 Individual precautions:**

Avoid contact with the skin, eyes or clothing.

#### **6.2 Precautions for care of the environment:**

Do not allow it to enter the drainage system. Avoid pollution of the soil, water supplies and drains.

#### **6.3 Methods for collection/cleaning:**

Collect up with absorbent materials (Panreac General Absorbent, Kieselguhr, etc.) or, if none available, dry sand or earth, and deposit in waste containers for subsequent elimination in accordance with current legislation. Clean any remains with plenty of water.

### **7. Handling and storage**

#### **7.1 Handling:**

No special indications.

#### **7.2 Storage:**

Well sealed containers. Atmospheric temperature.

### **8. Staff exposure/protection controls**

#### **8.1 Technical protective measures:**

Avoid exposure during handling and transfer.

#### **8.2 Exposure limit control:**

VLA-EC(HNO<sub>3</sub>): 10 mg/m<sup>3</sup>

VLA-EC(HNO<sub>3</sub>): 4 ppm

VLA-ED(HNO<sub>3</sub>): 5,2 mg/m<sup>3</sup>

VLA-ED(HNO<sub>3</sub>): 2 ppm

VLA-ED(Pb): 0,1 mg/m<sup>3</sup>

#### **8.3 Respiratory protection:**

In the event of fumes forming/aerosols, use suitable respiratory protection. Filter B. Filter P. Filter NOX.

#### **8.4 Hand protection:**

Use suitable gloves

#### **8.5 Eye protection:**

Use suitable goggles.

#### **8.6 Individual hygiene measures:**

Remove contaminated clothing. Wash hands and face before breaks and when the job is done.

#### **8.7 Environmental exposure controls:**

Fulfill the commitments under local environmental protection legislation.

## 9. Physical and chemical properties

Appearance: liquid

Colour:

N/A

Granulometry: N/A

Odour: Odourless.

pH: 1

Melting point/freezing point: N/A

Initial boiling point and boiling range:

N/A

Flash point:

N/A

Flammability (solid, gas):

N/A

Upper/lower flammability or explosive limits:

N/A

Vapour pressure: N/A

Vapour density: N/A

Relative density: ~1,019

Solubility: Miscible with water

Partition coefficient: n-octanol/water:

N/A

Auto-ignition temperature:

N/A

Decomposition temperature: N/A

Viscosity: N/A

## 10. Stability and reactivity

### 10.1 Conditions which should be avoided:

High temperatures.

### 10.2 Matter which should be avoided:

Metals. Flammable substances. Organic compounds.

### 10.3 Hazardous decomposition products:

Nitrous fumes.

### 10.4 Complementary information:

No specific data.

## 11. Toxicological information

### 11.1 Acute toxicity:

: Data not available.

## **11.2 Dangerous effects for health:**

The data we have are insufficient for correct toxicological assessment. Based on the physico-chemical properties, the likely dangerous characteristics are: Upon contact with the skin: irritations Through contact with the eyes: irritations For lead compounds in general : In high concentrations: The product is absorbed with difficulty in the gastro-intestinal tract, which can cause acute toxicity. After a period of latency: Metallic taste nausea vomiting intestinal disorders shock Chronic effects muscular disorders blood alterations effects on the central nervous system Pregnant women must not be allowed to come into contact with the product. Possible risk of adverse effects to the foetus during pregnancy. Possible risk of impaired fertility. If swallowed in large quantities: nausea vomiting Other dangerous characteristics are not discarded.

## **12. Environmental information**

### **12.1 Toxicity:**

12.1.1 - EC50 test (mg/l):

Bacteria (*Ps. putida*) (Pb) 1,4 mg/l

Classification: Extr. toxic

Algae (*Sc. quadricauda*) (Pb) 3,7 mg/l

Classification: Extr. toxic

Algae (*M. aeruginosa*) (Pb) 0,45 mg/l

Classification: Extr. toxic

Protozoa (*E. sulcatum*) (Pb) 0,02 mg/l

Classification: Extr. toxic

Protozoa (*U. parduczi*). (Pb) 0,07 mg/l

Classification: Extr. toxic

Crustaceans (*Daphnia magna*) (Pb) 2,5 mg/l

Classification: Extr. toxic

Fish (*Salmo gairdneri*) (Pb) 0,14 mg/l

Classification: Extr. toxic

Fish (*Leuciscus Idus*) (Pb) 546 mg/l

Classification: Highly toxic

12.1.2. - Receptor medium:

Risk for the water environment

High

Risk for the land environment

Medium

12.1.3. - Observations:

### **12.2 Persistence and Degradability :**

12.2.1 - Test:

12.2.2. - Biotic degradation classification:

BOD5/COD

Biodegradability

12.2.3. - Abiotic degradation depending on pH:

12.2.4. - Observations:

### **12.3 Bioaccumulative potential:**

12.3.1. - Test:

12.3.2. - Bioaccumulation:

Risk

12.3.3. - Observations:

Bioaccumulable product.

### **12.4 Mobility in soil :**

Data not available.

### **12.5 Assessment PBT and MPMB :**

Data not available.

### **12.6 Other possible effects on the environment:**

The ecotoxic effect of lead is reduced due to the compound's low solubility.

Do not allow it to enter soils or water channels.

Pollutant product.

Nitrates can encourage eutrophy,

Data refer to the pure substance.

## **13. Considerations regarding elimination**

### **13.1 Substance or preparation:**

In the European Union, there are no homogeneous standards established for elimination of chemical waste, which is waste of a special nature, and treatment and elimination of same is subject to the domestic legislation in each country.

In view of this, in each case, you should contact the competent authority or those companies legally authorized for elimination of waste.

2001/573/EC: Council Decision of 23 July 2001 amending Commission Decision 2000/532/EC as regards the list of wastes. Council Directive 91/156/EEC of 18 March 1991 amending Directive 75/442/EEC on waste.

.

### **13.2 Contaminated containers:**

Contaminated containers and packaging of dangerous substances or preparations must be treated in the same manner as the actual products contained in them.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste.

.

## **14. Information concerning transport**

Overland (ADR):

Technical name: CORROSIVE LIQUID, N.O.S.

UN 1760 Class: 8 Packaging group: III (E)

By sea (IMDG):

Technical name: CORROSIVE LIQUID, N.O.S.

UN 1760 Class: 8 Packaging group: III

By air (ICAI-IATA):

Technical name: Corrosive liquid, n.o.s

UN 1760 Class: 8 Packaging group: III

Packaging instructions: CAO 856 PAX 852

## **15. Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## **16. Other information**

### **Other precautionary statements**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTER or doctor/physician if you feel unwell.  
P321 Specific treatment (see on this label).  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P362 Take off contaminated clothing and wash before reuse.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.  
P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

### **Labelling (65/548/CEE or 1999/45/CE)**

R-phrase(s): **R36/37/38** Irritating to eyes, respiratory system and skin.

S-phrase(s): **S36** Wear suitable protective clothing.  
**S26** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Review number and date: 3 3.11.10

Date published: 3.11.10

In respect of the previous review, changes have been made to the following sections: 2, 3, 15

The information included in this Safety Data Sheet is based on our most up-to-date knowledge, and is solely intended to inform regarding aspects of safety; the properties and characteristics indicated herein are not guaranteed.