

S a f e t y D a t a S h e e t

According to Regulation (EC) 1907/2006



6992 Myxture Methanol 85% + 2-Methyl-2-Propanol 15%

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Name:

Myxture Methanol 85% + 2-Methyl-2-Propanol 15%

Synonym:

REACH Registration Number: A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) N° 1907/2006, the annual tonnage does not require a registration, the registration is envisaged for a later registration deadline or it is a mixture.

1.2 Relevant identified uses of the substance or mixture:

For laboratory utilisation, analysis, research and fine chemistry.

1.3 Identification of the company or firm:

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès

(Barcelona) Spain

Tel. (+34) 937 489 400

e-mail: product.safety@panreac.com

1.4 Emergency telephone:

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

2. Identification of dangers

Classification of the substance or the mixture.

Classification Regulation (CE) n° 1272/2008.

Flam. Liq. 2

Acute Tox. 3

Acute Tox. 3

Acute Tox. 3

STOT SE 1

Hazard Pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

H331 Toxic if inhaled.

H311 Toxic in contact with skin.

H301 Toxic if swallowed.

H370 Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/.../ equipment.

P242 Use only non-sparking tools.

P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

Classification (67/548/CEE or 1999/45/CE).

F Highly flammable

T Toxic

R11

R23/24/25

R39/23/24/25

For the full text of the R-phrases mentioned in this section, see section 16.

3. Composition/information on ingredients

Name: Myxture Methanol 85% + 2-Methyl-2-Propanol 15%

Composition:

0001: Methanol

Formula: CH₃OH M.= 32,04 CAS [67-56-1]

EC number (EINECS): 200-659-6

EC index number: 603-001-00-X

REACH Registration Number: 01-2119433307-44-XXXX

Content: 85 %

Classification Regulation (CE) nº 1272/2008.

Flam. Liq. 2
Acute Tox. 3
Acute Tox. 3
Acute Tox. 3
STOT SE 1

Hazard Pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.
H331 Toxic if inhaled.
H311 Toxic in contact with skin.
H301 Toxic if swallowed.
H370 Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/.../ equipment.
P242 Use only non-sparking tools.
P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.
P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P261 Avoid breathing dust, fume, gas, mist, vapours or spray.
P264 Wash...thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves, protective clothing, eye protection or face protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P307+P311 IF exposed: Call a POISON CENTER or doctor/physician.
P311 Call a POISON CENTER or doctor/physician.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P321 Specific treatment (see on this label).
P322 Specific measures (see on this label).
P330 Rinse mouth.
P361 Remove/Take off immediately all contaminated clothing.
P363 Wash contaminated clothing before reuse.
P370+P378 In case of fire: Use for extinction.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Classification (67/548/CEE or 1999/45/CE).

F Highly flammable
T Toxic

R11 Highly flammable.
R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.
R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

0002: 2-Methyl-2-Propanol

Formula: (CH₃)₃COH M.= 74,12 CAS [75-65-0]
EC number (EINECS): 200-889-7
EC index number: 603-005-00-1
REACH Registration Number: 01-2119444321-51-XXXX

Content: 15 %

Classification Regulation (CE) nº 1272/2008.

Flam. Liq. 2
Acute Tox. 4
Eye Irrit. 2
STOT SE 3

Hazard Pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.
H332 Harmful if inhaled.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/.../ equipment.
P242 Use only non-sparking tools.
P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust, fume, gas, mist, vapours or spray.
P264 Wash...thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves, protective clothing, eye protection or face protection.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use for extinction.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Classification (67/548/CEE or 1999/45/CE).

Xn Harmful	R20 Harmful by inhalation.
F Highly flammable	R11 Highly flammable.

4. First aid measures

4.1 General indications:

Never provide drink or induce vomiting in the event of loss of consciousness.

4.2 Inhaling:

Take the person out into the fresh air. In the event of suffocation, proceed immediately to provide artificial respiration. Seek immediate medical assistance.

4.3 Contact with the skin:

Wash with plenty of water. Remove contaminated clothing.

4.4 Eyes:

Wash with plenty of water, keeping eyelids open. Seek medical assistance.

4.5 Swallowing:

Induce vomiting. Seek medical assistance.

5. Firefighting measures

5.1 Suitable extinguishing media:

Water. Carbon dioxide (CO₂). Foam. Dry powder.

5.2 Unsuitable extinguishing media:

No specific data.

5.3 Special hazards arising from the substance or mixture:

Flammable. Keep away from sources of ignition. The fumes are heavier than air, so they may spread at floor level. In the event of fire, toxic fumes may form.

5.4 Advice for firefighters:

Suitable clothing and footwear.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Do not inhale the fumes. Ensure adequate ventilation.

6.2 Environmental precautions:

Do not allow it to enter the drainage system. Avoid pollution of the soil, water supplies and drains.

6.3 Methods and material for containment and cleaning up:

Collect up with absorbent materials (Panreac General Absorbent, Kieselguhr, etc.) or, if none available, dry sand or earth, and deposit in waste containers for subsequent elimination in accordance with current legislation.

7. Handling and storage

7.1 Precautions for safe handling:

Avoid the formation of electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities:

Well sealed containers. In well ventilated premises. Away from sources of ignition and heat. Room temperature.

8. Exposure controls/personal protection

8.1 Exposure controls:

Ensure good ventilation and renewal of the air in the premises.

8.2 Control parameters:

VLA-EC(methanol): 250 ppm - 333 mg/m³ ,

VLA-ED(methanol): 200 ppm - 266 mg/m³ ,

VLA-EC(2-Methyl-2-Propanol): 150 ppm - 462 mg/m³ ,

VLA-ED(2-Methyl-2-Propanol): 100 ppm - 308 mg/m³ ,

8.3 Respiratory protection:

In the event of fumes forming/aerosols, use suitable respiratory protection.

8.4 Hand protection:

Use suitable gloves

8.5 Eye/face protection:

Use suitable goggles.

8.6 Individual hygiene measures:

Remove contaminated clothing. Use suitable work clothing. Wash hands before breaks and when the job is done.

8.7 Environmental exposure controls:

Fulfill the commitments under local environmental protection legislation.

9. Physical and chemical properties

Appearance: liquid

Colour: Colourless

Granulometry: N/A

Odour: N/A

pH:

N/A

Melting point/freezing point: N/A

Initial boiling point and boiling range:

N/A

Flash point: ~ 13 °C

Flammability (solid, gas):

N/A

Upper/lower flammability or explosive limits:

N/A

Vapour pressure: N/A

Vapour density: N/A

Relative density:

N/A

Solubility:

N/A

Partition coefficient: n-octanol/water:

N/A

Auto-ignition temperature:

N/A

Decomposition temperature: N/A

Kinematic viscosity: N/A

Dynamic viscosity:

N/A

10. Stability and reactivity

10.1 Conditions to avoid:

High temperatures.

10.2 Incompatible materials:

Alkaline metals. Alkali-earth metals.

10.3 Hazardous decomposition products:

No specific data.

10.4 Chemical stability:

The gases/fumes can form explosive mixtures with the air.

11. Toxicological information

11.1 Acute toxicity:

LD50 oral rat : 5.628 mg/kg (methanol)

LD L0 oral hmn : 428 mg/kg (methanol)

LD50 oral rat : 3.500 mg/kg ((CH₃)₃COH)

TDL0 oral mus : 103.000 mg/kg ((CH₃)₃COH)

LD50 skn rbt : 15.800 mg/kg (methanol)

LC L0 inh rat : 64000 ppm (methanol) 4h

LD50 ipr mus : 933 mg/kg ((CH₃)₃COH)

11.2 Dangerous effects for health:

If fumes inhaled: Irritations to the respiratory tracts. Upon contact with the skin: irritations Through contact with the eyes: irritations If swallowed: nausea, vomiting, headaches Other dangerous characteristics are not discarded. Take the usual precautions for handling chemical products.

12. Environmental information

12.1 Toxicity:

Ecotoxic data not available.

12.2 Persistence and Degradability :

Data not available.

12.3 Bioaccumulative potential:

Data not available.

12.4 Mobility in soil :

Data not available.

12.5 Assessment PBT and MPMB :

Data not available.

12.6 Other adverse effects:

Do not allow it to enter soils or water channels.

13. Disposal considerations

13.1 Waste treatment methods:

In the European Union, there are no homogeneous standards established for elimination of chemical waste, which is waste of a special nature, and treatment and elimination of same is subject to the domestic legislation in each country.

In view of this, in each case, you should contact the competent authority or those companies legally authorized for elimination of waste.

2001/573/EC: Council Decision of 23 July 2001 amending Commission Decision 2000/532/EC as regards the list of wastes. Council Directive 91/156/EEC of 18 March 1991 amending Directive 75/442/EEC on waste.

.

13.2 Contaminated containers:

Contaminated containers and packaging of dangerous substances or preparations must be treated in the same manner as the actual products contained in them.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste.

.

14. Transport information

Overland (ADR):

Technical name: FLAMMABLE LIQUID, TOXIC, N.O.S.

UN 1992 Class: 3 6.1 Packaging group: II (D/E)

By sea (IMDG):

Technical name: FLAMMABLE LIQUID, TOXIC, N.O.S.

UN 1992 Class: 3 6.1 Packaging group: II

By air (ICAI-IATA):

Technical name: Flammable liquid, toxic, n.o.s.

UN 1992 Class: 3 6.1 Packaging group: II

Packaging instructions: CAO 364 PAX 352

15. Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

16. Other information

Other precautionary statements

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P261 Avoid breathing dust, fume, gas, mist, vapours or spray.
P264 Wash...thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves, protective clothing, eye protection or face protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P307+P311 IF exposed: Call a POISON CENTER or doctor/physician.
P311 Call a POISON CENTER or doctor/physician.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P321 Specific treatment (see on this label).
P322 Specific measures (see on this label).
P330 Rinse mouth.
P361 Remove/Take off immediately all contaminated clothing.
P363 Wash contaminated clothing before reuse.
P370+P378 In case of fire: Use for extinction.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Labelling (65/548/CEE or 1999/45/CE)

R-phrases(s):	R11 Highly flammable. R23/24/25 Toxic by inhalation, in contact with skin and if swallowed. R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
S-phrases(s):	S7 Keep container tightly closed. S16 Keep away from sources of ignition - No smoking. S36/37 Wear suitable protective clothing and gloves. S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Version and revision date : 1 11.4.2012

Date published: 11.4.2012

The information included in this Safety Data Sheet is based on our most up-to-date knowledge, and is solely intended to inform regarding aspects of safety; the properties and characteristics indicated herein are not guaranteed.