



1380 Acidimetric Liquor *titrated

1. Identification of the substance/preparation and of the company or firm

1.1 Identification of the substance or preparation

Name:

Acidimetric Liquor *titrated

Synonym:

REACH Registration Number: A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) N° 1907/2006, the annual tonnage does not require a registration, the registration is envisaged for a later registration deadline or it is a mixture.

1.2 Use of the substance/preparation:

For laboratory utilisation, analysis, research and fine chemistry.

1.3 Identification of the company or firm:

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès

(Barcelona) Spain

Tel. (+34) 937 489 400

e-mail: product.safety@panreac.com

1.4 Emergency telephone:

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

2. Identification of dangers

Classification of the substance or the mixture.

Classification Regulation (CE) n° 1272/2008.

Eye Irrit. 2

Skin Irrit. 2

Hazard Pictograms



Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.

H315 Causes skin irritation.

Precautionary statements

P264 Wash...thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

Classification (67/548/CEE or 1999/45/CE).

Xi Irritant

R36/38

For the full text of the R-phrases mentioned in this section, see section 16.

3. Component Composition/Information

Aqueous solution

Name: Acidimetric Liquor *titrated

Composition:**0001: Potassium Hydroxide 85% *pellets**

Formula: KOH M.= 56,11 CAS [1310-58-3]

EC number (EINECS): 215-181-3

EC index number: 019-002-00-8

REACH Registration Number: 01-2119487136-33-XXXX

Content: <= 1 %**Classification Regulation (CE) n° 1272/2008.**

Acute Tox. 4

Skin Corr. 1A

Hazard Pictograms**Signal word**

Danger

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P264 Wash...thoroughly after handling.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P338 Remove contact lenses, if present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

Classification (67/548/CEE or 1999/45/CE).

C Corrosive

R35 Causes severe burns.

R22 Harmful if swallowed.

0002: Toluene

Formula: C₆H₅CH₃ M.= 92,14 CAS [108-88-3]

EC number (EINECS): 203-625-9

EC index number: 601-021-00-3

REACH Registration Number: 01-2119471310-51-XXXX

Content: <= 0,1 %

Classification Regulation (CE) n° 1272/2008.

Flam. Liq. 2

Skin Irrit. 2

Repr. 2

Asp. Tox. 1

STOT SE 3

Hazard Pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H373 May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H361d Suspected of damaging the unborn child.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/.../ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash...thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P370+P378 In case of fire: Use for extinction.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

Classification (67/548/CEE or 1999/45/CE).

F Highly flammable
Xn Harmful

R11 Highly flammable.
R38 Irritating to skin.
R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
R63 Possible risk of harm to the unborn child.
R65 Harmful: may cause lung damage if swallowed.
R67 Vapours may cause drowsiness and dizziness.

4. First aid

4.1 General indications:

Never provide drink or induce vomiting in the event of loss of consciousness.

4.2 Inhaling:

Take the person out into the fresh air. In the event sickness persists, seek medical assistance.

4.3 Contact with the skin:

Wash with plenty of water. Remove contaminated clothing. In the event of irritation, seek medical assistance.

4.4 Eyes:

Wash with plenty of water, keeping eyelids open. In the event of irritation, seek medical assistance.

4.5 Swallowing:

Drink large amounts of water. Induce vomiting. Seek medical assistance.

5. Fire-fighting means

5.1 Suitable fire-extinguishing means:

As appropriate to the environment.

5.2 Fire-fighting means which must NOT be used:

No specific data.

5.3 Special risks:

Incombustible.

5.4 Protective equipment:

Suitable clothing and footwear.

6. Measures to be taken in the event of accidental spillage

6.1 Individual precautions:

Do not inhale the fumes. Avoid contact with the skin, eyes or clothing.

6.2 Precautions for care of the environment:

Do not allow it to enter the drainage system. Avoid pollution of the soil, water supplies and drains.

6.3 Methods for collection/cleaning:

Collect up with absorbent materials (Panreac General Absorbent, Kieselguhr, etc.) or, if none available, dry sand or earth, and deposit in waste containers for subsequent elimination in accordance with current legislation. Neutralize with diluted sulphuric acid.

7. Handling and storage

7.1 Handling:

No special indications.

7.2 Storage:

Well sealed containers. Dry atmosphere. Room temperature. Do not store in metal containers.

8. Staff exposure/protection controls

8.1 Technical protective measures:

No special indications.

8.2 Exposure limit control:

: Data not available.

8.3 Respiratory protection:

In the event of fumes forming/aerosols, use suitable respiratory protection.

8.4 Hand protection:

Use suitable gloves

8.5 Eye protection:

Use suitable goggles.

8.6 Individual hygiene measures:

Remove contaminated clothing. Use suitable work clothing. Wash hands and face before breaks and when the job is done.

8.7 Environmental exposure controls:

Fulfill the commitments under local environmental protection legislation.

9. Physical and chemical properties

Appearance: liquid

Colour: Colourless

Granulometry: N/A

Odour: Odourless.

pH:

N/A

Melting point/freezing point: N/A

Initial boiling point and boiling range:

N/A

Flash point:

N/A

Flammability (solid, gas):
N/A
Upper/lower flammability or explosive limits:
N/A
Vapour pressure: N/A
Vapour density: N/A
Relative density: (20/4) 1,002
Solubility: Miscible with water
Partition coefficient: n-octanol/water:
N/A
Auto-ignition temperature:
N/A
Decomposition temperature: N/A
Viscosity: N/A

10. Stability and reactivity

10.1 Conditions which should be avoided:

The product is chemically stable under standard ambient conditions (room temperature).

10.2 Matter which should be avoided:

Metals. Organic compounds. Glass.

10.3 Hazardous decomposition products:

No specific data.

10.4 Complementary information:

No specific data.

11. Toxicological information

11.1 Acute toxicity:

LD50 oral rat : 273 mg/kg $\text{MoNa}_2\text{O}_4 \cdot 2\text{H}_2\text{O}$

11.2 Dangerous effects for health:

If inhaled: Irritations to the mucosae and respiratory tracts. Upon contact with the skin: irritations Through contact with the eyes: irritations If swallowed: Irritations of the mucosae in the mouth, throat, oesophagus and intestinal tract. Other dangerous characteristics are not discarded. Take the usual precautions for handling chemical products.

12. Environmental information

12.1 Toxicity:

12.1.1 - EC50 test (mg/l):

Water organisms 10 mg/l

Classification:

Extr. toxic

12.1.2. - Receptor medium:

Risk for the water environment

Medium

Risk for the land environment

Low

12.1.3. - Observations:

The ecotoxicity is due to the pH deviation.

12.2 Persistence and Degradability :

12.2.1 - Test:

12.2.2. - Biotic degradation classification:

BOD5/COD

Biodegradability

12.2.3. - Abiotic degradation depending on pH:

12.2.4. - Observations:

12.3 Bioaccumulative potential:

12.3.1. - Test:

12.3.2. - Bioaccumulation:

Risk

12.3.3. - Observations:

12.4 Mobility in soil :

Data not available.

12.5 Assessment PBT and MPMB :

Data not available.

12.6 Other possible effects on the environment:

The treatment is neutralization.

Highly purifiable.

Do not allow it to enter soils or water channels.

Corrosive product, even in diluted form.

13. Considerations regarding elimination

13.1 Substance or preparation:

In the European Union, there are no homogeneous standards established for elimination of chemical waste, which is waste of a special nature, and treatment and elimination of same is subject to the domestic legislation in each country.

In view of this, in each case, you should contact the competent authority or those companies legally authorized for elimination of waste.

2001/573/EC: Council Decision of 23 July 2001 amending Commission Decision 2000/532/EC as regards the list of wastes. Council Directive 91/156/EEC of 18 March 1991 amending Directive 75/442/EEC on waste.

.

13.2 Contaminated containers:

Contaminated containers and packaging of dangerous substances or preparations must be treated in the same manner as the actual products contained in them.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste.

.

14. Information concerning transport

Overland (ADR):

Technical name: CAUSTIC ALKALI LIQUID, N.O.S.

UN 1719 Class: 8 Packaging group: III (E)

By sea (IMDG):

Technical name: CAUSTIC ALKALI LIQUID, N.O.S.

UN 1719 Class: 8 Packaging group: III

By air (ICAI-IATA):

Technical name: Caustic alkali liquid, n.o.s.

UN 1719 Class: 8 Packaging group: III

Packaging instructions: CAO 856 PAX 852

15. Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

16. Other information

Other precautionary statements

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

Labelling (65/548/CEE or 1999/45/CE)

R-phrase(s): **R36/38** Irritating to eyes and skin.

S-phrase(s): **S26** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Review number and date: 4 15.09.2011

Date published: 15.09.2011

In respect of the previous review, changes have been made to the following sections: 15

The information included in this Safety Data Sheet is based on our most up-to-date knowledge, and is solely intended to inform regarding aspects of safety; the properties and characteristics indicated herein are not guaranteed.