



S a f e t y D a t a S h e e t
According to Regulation (EC) 1907/2006
and (EU) 453/2010

5483 Ethanol-Diethyl Ether 1:1+Phenolphthalein

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Name:

Ethanol-Diethyl Ether 1:1+Phenolphthalein

REACH Registration Number: A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) N^o 1907/2006, the annual tonnage does not require a registration, the registration is envisaged for a later registration deadline or it is a mixture.

1.2 Relevant identified uses of the substance or mixture:

For laboratory utilisation, analysis, research and fine chemistry.

1.3 Identification of the company or firm:

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès

(Barcelona) Spain

Tel. (+34) 937 489 400

e-mail: product.safety@panreac.com

1.4 Emergency telephone:

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

2. Identification of dangers

2.1 Classification of the substance or the mixture.

Classification Regulation (CE) n^o 1272/2008.

Flam. Liq. 1

Acute Tox. 4

STOT SE 3

Eye Irrit. 2

Classification (67/548/CEE or 1999/45/CE).

F+ Extremely flammable	R12
Xn Harmful	R19
Xi Irritant	R22
	R66
	R67
	R36

2.2 Label elements:

Hazard Pictograms



Signal word

Danger

Hazard statements

H224 Extremely flammable liquid and vapour.

EUH019 May form explosive peroxides.

H302 Harmful if swallowed.

EUH066 Repeated exposure may cause skin dryness or cracking.

H336 May cause drowsiness or dizziness.

H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

For the full text of the R-phrases mentioned in this section, see section 16.

2.3 Other hazards:

No further relevant information available.

3. Composition/information on ingredients

Name: Ethanol-Diethyl Ether 1:1+Phenolphthalein

COMPOSITION:

0001: Diethyl Ether *stabilized with ~6 ppm of BHT

Formula: C₂H₅OC₂H₅ M.= 74,12 CAS [60-29-7]

EC number (EINECS): 200-467-2

EC index number: 603-022-00-4

REACH Registration Number: 01-2119535785-29-XXXX

Content: 50 %

Classification Regulation (CE) n° 1272/2008.

Flam. Liq. 1

Acute Tox. 4

STOT SE 3

Hazard Pictograms



Signal word

Danger

Hazard statements

H224 Extremely flammable liquid and vapour.

H302 Harmful if swallowed.

H336 May cause drowsiness or dizziness.

EUH019 May form explosive peroxides.

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing dust, fume, gas, mist, vapours or spray.
- P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.
- P243 Take precautionary measures against static discharge.
- P233 Keep container tightly closed.
- P264 Wash...thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves, protective clothing, eye protection or face protection.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.
- P330 Rinse mouth.
- P370+P378 In case of fire: Use for extinction.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.

Classification (67/548/CEE or 1999/45/CE).

- | | |
|-------------------------------|--|
| F+ Extremely flammable | R12 Extremely flammable. |
| Xn Harmful | R19 May form explosive peroxides. |
| | R22 Harmful if swallowed. |
| | R66 Repeated exposure may cause skin dryness or cracking. |
| | R67 Vapours may cause drowsiness and dizziness. |

0002: Ethanol 96% v/v *partially denatured

Formula: CH₃CH₂OH M.= 46,07 CAS [64-17-5]
EC number (EINECS): 200-578-6
EC index number: 603-002-00-5
REACH Registration Number: 01-2119457610-43-XXXX

Content: 50 %

Classification Regulation (CE) n° 1272/2008.

Flam. Liq. 2
Eye Irrit. 2

Hazard Pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves, protective clothing, eye protection or face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P370+P378 In case of fire: Use for extinction.

P403+P235 Store in a well-ventilated place. Keep cool.

P264 Wash...thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Classification (67/548/CEE or 1999/45/CE).

Xi Irritant

R36 Irritating to eyes.

F Highly flammable

R11 Highly flammable.

4. First aid measures

4.1 General indications:

Never provide drink or induce vomiting in the event of loss of consciousness.

4.2 Inhaling:

Take the person out into the fresh air. In the event of suffocation, proceed to provide artificial respiration. Loosen clothing to release respiratory channels.

4.3 Contact with the skin:

Wash with plenty of water. Remove contaminated clothing.

4.4 Eyes:

Wash with plenty of water (for at least 15 minutes), keeping eyelids open. Seek medical assistance.

4.5 Swallowing:

Do not induce vomiting. Call for medical help. Administer Vaseline oil as a laxative (3 ml/kg).

5. Firefighting measures

5.1 Suitable extinguishing media:

Dry powder. Alcohol resistant foam.

5.2 Unsuitable extinguishing media:

No specific data.

5.3 Special hazards arising from the substance or mixture:

Flammable. Keep away from sources of ignition. The fumes are heavier than air, so they may spread at floor level. In the event of fire, toxic fumes may form. Auf Rückzündung achten

5.4 Advice for firefighters:

Suitable clothing and footwear.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Do not inhale the fumes.

6.2 Environmental precautions:

Avoid pollution of the soil, water supplies and drains.

6.3 Methods and material for containment and cleaning up:

Collect up with absorbent materials (Panreac General Absorbent, Kieselguhr, etc.) or, if none available, dry sand or earth, and deposit in waste containers for subsequent elimination in accordance with current legislation.

7. Handling and storage

7.1 Precautions for safe handling:

Avoid the formation of electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities:

Well sealed containers. In well ventilated premises. Away from light. Protected from air. Away from sources of ignition and heat.

Recommended storage temperature: Room temperature.

8. Exposure controls/personal protection

8.1 Exposure controls:

Ensure good ventilation and renewal of the air in the premises.

8.2 Control parameters:

VLA-EC(diethyl ether): 550 ppm = 1.540 mg/m³ VLA-ED(ethanol): 1.000 ppm = 1.910 mg/m³ VLA-ED(diethyl ether): 400 ppm = 1.230 mg/m³

8.3 Respiratory protection:

In the event of fumes forming/aerosols, use suitable respiratory protection. Filter AX3.

8.4 Hand protection:

Use suitable gloves nitrile

8.5 Eye/face protection:

Use safety glasses.

8.6 Individual hygiene measures:

Remove contaminated clothing. Use complete protective equipment. Wash hands and face before breaks and when the job is done.

8.7 Environmental exposure controls:

Fulfill the commitments under local environmental protection legislation.

9. Physical and chemical properties

Appearance: liquid

Colour: Colourless

Granulometry: N/A

Odour: Characteristic.

pH:

N/A

Melting point/freezing point: N/A

Initial boiling point and boiling range:

N/A

Flash point: < 10,0 °C (closed cup)

Flammability (solid, gas):

N/A

Upper/lower flammability or explosive limits:

N/A

Vapour pressure: N/A

Vapour density: N/A

Relative density:

Insertar Aquí Grupo de repeticion

0,765 g/ml

Solubility: Miscible with alcohol

Partition coefficient: n-octanol/water:

N/A

Auto-ignition temperature:

N/A

Decomposition temperature: N/A

Kinematic viscosity: N/A

Dynamic viscosity:

N/A

10. Stability and reactivity**10.1 Conditions to avoid:**

High temperatures.

10.2 Incompatible materials:

Oxidant agents (amongst others: perchloric acid, perchlorates, halogenates, CrO₃, halogen oxides, nitric acid, nitrogen oxides, non-metal oxides, chromo-sulphuric acid). Halogens. Halogen halides. Non-metals. Non-metal oxyhalides. Oils of turpentine and by-products. Chromyl chloride. Metal chlorides. Nitrates.

10.3 Hazardous decomposition products:

Peroxides.

10.4 Chemical stability:

Exposure to light and air encourages the formation of peroxides. The gases/fumes can form explosive mixtures with the air.

11. Toxicological information

11.1 Acute toxicity:

LD L0 oral man : 260 mg/kg (refers to the component with the highest toxicity)

LD50 oral rat : 1.215 mg/kg (refers to the component with the highest toxicity)

LC50 inh rat : 73000 ppm (V) 2h

11.2 Dangerous effects for health:

If swallowed and inhaled: Irritations to the mucosae euphoria intoxication ataxia (motor coordination disorders) loss of consciousness coma Risk of aspiration upon vomiting. The following cannot be ruled out: death Prolonged exposure causes constipation loss of appetite allergic reaction dermatitis Can have a demoiaturizing effect on the skin, with the risk of secondary infection. Other dangerous characteristics are not discarded. Take the usual precautions for handling chemical products.

12. Environmental information

12.1 Toxicity:

- EC50 test (mg/l):

Bacteria (Photobacterium phosphoreum) 5623 mg/l

Classification: Very toxic

Fish 2840 mg/l

Classification: Very toxic

- Receptor medium:

Risk for the water environment Low

Risk for the land environment Low

- Observations:

Ecotoxicity in line with the dumping concentration.

12.2 Persistence and Degradability :

BOD5/COD Biodegradability =

High, over 1/3

Biodegradable product.

12.3 Bioaccumulative potential:

Non-bioaccumulable product.

12.4 Mobility in soil :

Data not available.

12.5 Assessment PBT and MPMB :

Data not available.

12.6 Other adverse effects:

Non-pollutant product.

Highly purifiable.

DATA BASED on the components of the preparation.

13. Disposal considerations

13.1 Waste treatment methods:

In the European Union, there are no homogeneous standards established for elimination of chemical waste, which is waste of a special nature, and treatment and elimination of same is subject to the domestic legislation in each country.

In view of this, in each case, you should contact the competent authority or those companies legally authorized for elimination of waste.

2001/573/EC: Council Decision of 23 July 2001 amending Commission Decision 2000/532/EC as regards the list of wastes. Council Directive 91/156/EEC of 18 March 1991 amending Directive 75/442/EEC on waste.

.

13.2 Contaminated containers:

Contaminated containers and packaging of dangerous substances or preparations must be treated in the same manner as the actual products contained in them.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste.

.

14. Transport information

Overland (ADR):

Technical name: FLAMMABLE LIQUID, N.O.S.

UN 1993 Class: 3 Packaging group: I (D/E)

By sea (IMDG):

Technical name: FLAMMABLE LIQUID, N.O.S.

UN 1993 Class: 3 Packaging group: I

By air (ICAI-IATA):

Technical name: Flammable liquid, n.o.s.

UN 1993 Class: 3 Packaging group: I

Packaging instructions: CAO 361 PAX 351

15. Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

16. Other information

Other precautionary statements

- P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust, fume, gas, mist, vapours or spray.
P264 Wash...thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves, protective clothing, eye protection or face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P330 Rinse mouth.
P370+P378 In case of fire: Use for extinction.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.

Labelling (65/548/CEE or 1999/45/CE)

- R-phrases(s): **R12** Extremely flammable.
 R19 May form explosive peroxides.
 R22 Harmful if swallowed.
 R66 Repeated exposure may cause skin dryness or cracking.
 R67 Vapours may cause drowsiness and dizziness.
 R36 Irritating to eyes.
- S-phrases(s): **S9** Keep container in a well-ventilated place.
 S16 Keep away from sources of ignition - No smoking.
 S29 Do not empty into drains.
 S33 Take precautionary measures against static discharges.
 S25 Avoid contact with eyes.
 S39 Wear eye/face protection.

Version and revision date : 5 9.1.2017

Date published: 9.1.2012

In respect of the previous review, changes have been made to the following sections: 2,3,16

The information included in this Safety Data Sheet is based on our most up-to-date knowledge, and is solely intended to inform regarding aspects of safety; the properties and characteristics indicated herein are not guaranteed.