Safety Data Sheet According to Regulation (EC) 1907/2006



6384 Phosphorus *standard solution P=1,000+-0,002 g/l

1. Identification of the substance/preparation and of the company or firm

1.1 Identification of the substance or preparation

Name

Phosphorus *standard solution P=1,000+-0,002 g/l

Synonym:

REACH Registration Number: A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) N^{o} 1907/2006, the annual tonnage does not requiere a registration, the registration is envisaged for a later registration deadline or it is a mixture.

1.2 Use of the substance/preparation:

For laboratory utilisation, analysis, research and fine chemistry.

1.3 Identification of the company or firm:

PANREAC QUIMICA S.L.U. C/Garraf 2 Polígono Pla de la Bruguera E-08211 Castellar del Vallès (Barcelona) Spain Tel. (+34) 937 489 400

e-mail: product.safety@panreac.com

1.4 Emergency telephone:

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

2. Identification of dangers

Classification of the substance or the mixture.

Classification Regulation (CE) nº 1272/2008.

Skin Corr. 1B

Hazard Pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

Classification (67/548/CEE or 1999/45/CE).

C Corrosive

R34

For the full text of the R-phrases mentioned in this section, see section 16.

3. Component Composition/Information

Name: Phosphorus *standard solution P=1,000+-0,002 g/l

Composition:

0001: ortho-Phosphoric Acid 85%

Formula: H3PO4 M.= 98,00 CAS [7664-38-2]

EC number (EINECS): 231-633-2 EC index number: 015-011-00-6

REACH Registration Number: 01-2119485924-24-XXXX

Content: >= 0.1 % <= 0.3 %

Classification Regulation (CE) nº 1272/2008.

Skin Corr. 1B

Hazard Pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash...thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P321 Specific treatment (see on this label).

P338 Remove contact lenses, if present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

Classification (67/548/CEE or 1999/45/CE).

C Corrosive

R34 Causes burns.

0002: Nitric Acid 69%

Formula: HNO3 M.= 63,01 CAS [7697-37-2]

EC number (EINECS): 231-714-2 EC index number: 007-004-00-1

REACH Registration Number: 01-2119487297-23-XXXX

Content: >= 2 % <= 5 %

Classification Regulation (CE) nº 1272/2008.

Skin Corr. 1A Ox. Sol. 3

Hazard Pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

H272 May intensify fire; oxidiser.

Precautionary statements

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P220 Keep/Store away from clothing/combustible materials.
- P221 Take any precaution to avoid mixing with combustibles.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P264 Wash...thoroughly after handling.
- P501 Dispose of contents/container according to Directive 94/62/CE or 2008/98/CE.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

- P310 Immediately call a POISON CENTER or doctor/physician.
- P321 Specific treatment (see on this label).
- P338 Remove contact lenses, if present and easy to do. Continue rinsing.
- P363 Wash contaminated clothing before reuse.
- P370+P378 In case of fire: Use for extinction.
- P405 Store locked up.

Classification (67/548/CEE or 1999/45/CE).

C Corrosive

R35 Causes severe burns.

4. First aid

4.1 General indications:

Never provide drink or induce vomiting in the event of loss of consciousness.

4.2 Inhaling:

Go out into the fresh air. In the event of suffocation, proceed to provide artificial respiration. In the event sickness persists, seek medical assistance.

4.3 Contact with the skin:

Wash with plenty of soap and water. Remove contaminated clothing. In the event of irritation, seek medical assistance.

4.4 Eyes:

Wash with plenty of water (for at least 15 minutes), keeping eyelids open. Seek medical assistance.

4.5 Swallowing:

Wash mouth out immediately. Through swallowing of large amounts: In the event of sickness, seek medical assistance.

5. Fire-fighting means

5.1 Suitable fire-extinguishing means:

Atomized water. Carbon dioxide (CO2). Foam. Dry powder.

5.2 Fire-fighting means which must NOT be used:

No specific data.

5.3 Special risks:

Incombustible. In the event of fire, toxic fumes may form.

5.4 Protective equipment:

Suitable clothing and footwear. Self-contained breathing equipment.

6. Measures to be taken in the event of accidental spillage

6.1 Individual precautions:

Avoid contact with the skin, eyes or clothing. Do not inhale the fumes. Ensure adequate ventilation.

6.2 Precautions for care of the environment:

Avoid pollution of the soil, water supplies and drains.

6.3 Methods for collection/cleaning:

Collect up with absorbent materials (Panreac General Absorbent, Kieselguhr, etc.) or, if none available, dry sand or earth, and deposit in waste containers for subsequent elimination in accordance with current legislation. Clean any remains with plenty of water.

7. Handling and storage

7.1 Handling:

Ensure good ventilation and renewal of the air in the premises.

7.2 Storage:

Well sealed containers. In a cool, dry, well ventilated place. Room temperature.

8. Staff exposure/protection controls

8.1 Technical protective measures:

Ensure good ventilation and renewal of the air in the premises.

8.2 Exposure limit control:

```
VLA-EC(HNO3): 1 ppm - 10 mg/m3,
VLA-ED(HNO3): 5,2 mg/m3,
VLA-EC(H3PO4): 2 mg/m3,
VLA-ED(H3PO4): 1 mg/m3,
```

8.3 Respiratory protection:

In the event of fumes forming/aerosols, use suitable respiratory protection.

8.4 Hand protection:

Use suitable gloves

8.5 Eye protection:

Use suitable goggles.

8.6 Individual hygiene measures:

Remove contaminated clothing. Wash hands before breaks and when the job is done. Do not inhale the substance. Do not eat, drink or smoke in the workplace.

8.7 Environmental exposure controls:

Fulfill the commitments under local environmental protection legislation.

9. Physical and chemical properties

Appearance: liquid Colour: Colourless Granulometry: N/A Odour: Odourless.

pH: <1

Melting point/freezing point: N/A

Initial boiling point and boiling range: 100 °C

Flash point:

N/A

Flammability (solid, gas):

N/A

Upper/lower flammability or explosive limits:

N/A

Vapour pressure: N/A Vapour density: N/A

Relative density: (20/4) 1,02 Solubility: Miscible with water Partition coefficient: n-octanol/water:

N/A

Auto-ignition temperature:

N/A

Decomposition temperature: N/A

Kinematic viscosity: N/A Dynamic viscosity:

N/A

10. Stability and reactivity

10.1 Conditions which should be avoided:

The product is chemically stable under standar ambient conditions (room temperature).

10.2 Matter which should be avoided:

Strong oxidant agents.

10.3 Hazardous decomposition products:

No specific data.

10.4 Complementary information:

No specific data.

11. Toxicological information

11.1 Acute toxicity:

LD L0 oral hmn: 430 mg/kg Data refer to HNO3

LD50 oral rat : 1.530 mg/kg H3PO4 LD50 skn rbt : 2.740 mg/kg H3PO4

11.2 Dangerous effects for health:

Taking the preparation' components into account, the likely dangerous characteristics are as follows: Through contact with the eyes: Can cause Serious injuries If swallowed and inhaled: Can cause irritations Upon contact with the skin: Can cause burns Take the usual precautions for handling chemical products.

12. Environmental information

12.1 Toxicity:

Fish (H3PO4) EC 50: 100 mg/l

Risk for the water environment Medium

Risk for the land environment Low

The ecotoxicity is due to the pH deviation.

In the event of infiltration into underground water supplies, these may not be used for drinking water due to the high nitrate content. The ecotoxicity is due to the pH deviation and to the nitrates fI

12.2 Persistence and Degradability:

Does not consume oxygen biologically.

Non-biodegradable product.

12.3 Bioaccumulative potential:

Data not available.

12.4 Mobility in soil:

Data not available.

12.5 Assessment PBT and MPMB:

Data not available.

12.6 Other possible effects on the environment:

Neutralize with NaOH at pH 7.

Encourages eotrophy in rivers and water channels.

Do not allow it to enter soils or water channels.

Ecotoxic effects due to the pH variation.

If suitable handling conditions are maintained, no ecological problems are to be anticipated.

13. Considerations regarding elimination

13.1 Substance or preparation:

In the European Union, there are no homogeneous standards established for elimination of chemical waste, which is waste of a special nature, and treatment and elimination of same is subject to the domestic legislation in each country. In view of this, in each case, you should contact the competent authority or those companies legally authorized for elimination of waste.

2001/573/EC: Council Decision of 23 July 2001 amending Commission Decision 2000/532/EC as regards the list of wastes. Council Directive 91/156/EEC of 18 March 1991 amending Directive 75/442/EEC on waste.

.

13.2 Contaminated containers:

Contaminated containers and packaging of dangerous substances or preparations must be treated in the same manner as the actual products contained in them. European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste.

.

14. Information concerning transport

Overland (ADR):

Technical name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

UN 3264 Class: 8 Packaging group: III (E)

By sea (IMDG):

Technical name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

UN 3264 Class: 8 Packaging group: III

By air (ICAI-IATA):

Technical name: Corrosive liquid, acidic, inorganic, n.o.s.

UN 3264 Class: 8 Packaging group: III Packaging instructions: CAO 856 PAX 852

15. Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

16. Other information

Other precautionary statements

Labelling (65/548/CEE or 1999/45/CE)

R-phrase(s): **R34** Causes burns.

S-phrase(s): **S23** Do not breathe gas/fumes/vapour/spray

(appropriate wording to be specified by the

manufacturer).

S26 In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36 Wear suitable protective clothing.

S45 In case of accident or if you feel unwell, seek medical advice immediately (show the lable

where possible).

Version and revision date: 4 02.10.2012

Remplaced: 3.11.10

In respect of the previous review, changes have been made to the following

sections: 2, 3

The information included in this Safety Data Sheet is based on our most up-to-date knowledge, and is solely intended to inform regarding aspects of safety; the properties and characteristics indicated herein are not guaranteed.