

Safety Data Sheet acc. to OSHA HCS

Page 1/7

Printing date 07/22/2017 Reviewed on 07/22/2017 Version number: 3

Tel.: +49 (0)6151 93570

msds@applichem.com

1 Identification

· Product identifier

· Trade name: Dimethyl Sulfoxide

· Article number: A7248

· CAS Number: 67-68-5 · EC number:

200-664-3

· Application of the substance / the mixture

Biochemistry Molecular biology Cell culture Laboratory chemical

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

AppliChem GmbH

Ottoweg 4

Fax.: +49 (0)6151 935711 D-64291 Darmstadt

- · Information department: Dept. Compliance
- · Emergency telephone number: +49(0)6151 93570 (Inside normal business hours)

2 Hazard(s) identification


· Classification of the substance or mixture The substance is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 2Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

Page 2/7

Printing date 07/22/2017 Reviewed on 07/22/2017 Version number: 3

Trade name: Dimethyl Sulfoxide

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Substances

CAS No. Description
 67-68-5 Dimethyl Sulfoxide
 Identification number(s)

· EC number: 200-664-3

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash off with plenty of water.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water.

Seek medical treatment.

· After swallowing:

Rinse out mouth.

make victim drink water (maximum of 2 drinking glasses)

Laxative: Sodium sulfate (1 tablespoon/ 1/4 L water)

Seek medical treatment.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Water, CO2, foam, powder.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Formaldehyde

CO, CO2

(SO2, SO3)

Ambient fire may liberate hazardous vapeurs.

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Contain escaping vapours with water.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Do not inhale steams/aerosols.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (AppliSorb).

Clean up affected area.

(Contd. on page 3)

Page 3/7

Printing date 07/22/2017 Reviewed on 07/22/2017 Version number: 3

Trade name: Dimethyl Sulfoxide

(Contd. of page 2)

Dispose of the collected material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- PAC-1: 150 ppmPAC-2: 290 ppmPAC-3: 1,800 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container sealed.
- · Recommended storage temperature: +15 +25 °C
- · Storage class: 10
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

67-68-5 Dimethyl Sulfoxide

WEEL Long-term value: 250 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Change contaminated clothing.
- · Breathing equipment:

Filter A

Respiratory protection required when vapours/aerosols are generated.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Recommended thickness of the material: ≥ 0.65 mm

Chloroprene rubber, CR

Value for the permeation: Level ≥ 480 min

· As protection from splashes gloves made of the following materials are suitable:

Recommended thickness of the material: > 0.6 mm

(Contd. on page 4)

Page 4/7

(Contd. of page 3)

Printing date 07/22/2017 Reviewed on 07/22/2017 Version number: 3

Trade name: Dimethyl Sulfoxide

Natural rubber, NR

Value for the permeation: Level ≥ 240 min

· Eye protection: Safety glasses

· Body protection:

Protective work clothing

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazourdous substances handled.

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Fluid Color: Colorless · Odor: Characteristic · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: 18 °C (64 °F) **Boiling point/Boiling range:** 189 °C (372 °F) · Flash point: 87 °C (189 °F) · Flammability (solid, gaseous): Not applicable. · Ignition temperature: 270 °C (518 °F) · Decomposition temperature: >190 °C · Auto igniting: Not determined. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: 1.8 Vol % Upper: 63 Vol % · Vapor pressure at 20 °C (68 °F): 0.6 hPa · Density at 20 °C (68 °F): 1.103 g/cm³ (9.205 lbs/gal) · Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water at 20 °C (68 °F): 1000 g/l · Partition coefficient (n-octanol/water): Not determined.

10 Stability and reactivity

Dynamic at 20 °C (68 °F):

- · Reactivity No dangerous reactions known.
- · Chemical stability

· Viscosity:

Kinematic:

Other information

· Thermal decomposition / conditions to be avoided:

Warming. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

2.14 mPas

Not determined.

No further relevant information available.

(Contd. on page 5)

Page 5/7

Printing date 07/22/2017 Reviewed on 07/22/2017 Version number: 3

Trade name: Dimethyl Sulfoxide

(Contd. of page 4)

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: alkali metals

strong oxidants

· Hazardous decomposition products: In the event of fire: See chapter 5

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

| · Components | | Туре | Value | Species | |
|--------------|------|--------------------|-------|---------|--|
| Oral | LD50 | 28,300 mg/kg (rat) | | | |
| Dermal | LD50 | 40,000 mg/kg (rat) | | | |

- · Primary irritant effect:
- · on the skin: Slight irrtations.
- · on the eye: Slight irritation.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

The substance is not subject to classification.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability Not easily biodegradable
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow to enter waters, waste water, or soil.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Chemicals must be disposed of in compliance with the respective national regulations.

- · Uncleaned packagings:
- · Recommendation:

Disposal must be made according to official regulations.

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 6)

Page 6/7

Printing date 07/22/2017 Reviewed on 07/22/2017 Version number: 3

Trade name: Dimethyl Sulfoxide

• Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. of page 5)

| 14 Transport information | | |
|--|--|--|
| · UN-Number · DOT, ADR, ADN, IMDG, IATA | Void | |
| UN proper shipping name DOT, ADR, ADN, IMDG, IATA | Void | |
| · Transport hazard class(es) | | |
| · DOT, ADR, ADN, IMDG, IATA · Class | Void | |
| Packing groupDOT, ADR, IMDG, IATA | Void | |
| · Environmental hazards: | Not applicable. | |
| · Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex II MARPOL73/78 and the IBC Code | of Not applicable. | |
| · Transport/Additional information: | Not dangerous according to the above specifications. | |
| · UN "Model Regulation": | Void | |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): Substance is listed.
- Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Cancerogenity categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Dept. Compliance
- · Contact: Mr. Th. Stöckle
- · Date of preparation / last revision 07/22/2017 / 2

(Contd. on page 7)

Page 7/7

Printing date 07/22/2017 Reviewed on 07/22/2017 Version number: 3

Trade name: Dimethyl Sulfoxide

(Contd. of page 6)

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

· * Data compared to the previous version altered.